

Version: 3 / GB Replaces Version: 2 / GB Date revised: 11.11.2022 Print date: 31.05.23

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

neodisher LaboClean LA

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses

PC35 Washing and cleaning products (including solvent based products)

## 1.3. Details of the supplier of the safety data sheet

#### Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG

Mühlenhagen 85 D-20539 Hamburg

Telephone no. +49 40 789 60 0 Fax no. +49 40 789 60 120

www.drweigert.com

#### E-mail address of person responsible for this SDS:

sida@drweigert.de

## 1.4. Emergency telephone number

Emergency telephone number: 112

## SECTION 2: Hazards identification \*\*\*

## 2.1. Classification of the substance or mixture

## Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

 Met. Corr. 1
 H290

 Skin Corr. 1A
 H314

 Eye Dam. 1
 H318

 STOT SE 3
 H335

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

#### 2.2. Label elements

## Labelling according to regulation (EC) No 1272/2008

## **Hazard pictograms**



Signal word

Danger



Version: 3 / GB Replaces Version: 2 / GB Date revised: 11.11.2022 Print date: 31.05.23

#### **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

#### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

Dispose only when container is empty and closed. For disposal of product

residues, refer to safety data sheet.

#### Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains \*\*\* disodium metasilicate; sodium hydroxide

#### 2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## SECTION 3: Composition/information on ingredients \*\*\*

#### 3.2. Mixtures

## Hazardous ingredients \*\*\*

#### sodium hydroxide

CAS No. 1310-73-2 EINECS no. 215-185-5

Registration no. 01-2119457892-27

Concentration >= 25 < 50 %

Classification (Regulation (EC) No. 1272/2008)

 Met. Corr. 1
 H290

 Skin Corr. 1A
 H314

 Eye Dam. 1
 H318

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 >= 0,5 < 2 % Skin Corr. 1A H314 >= 5 % Skin Corr. 1B H314 >= 2 < 5 % Skin Irrit. 2 H315 >= 0,5 < 2 %

#### disodium metasilicate pentahydrate

CAS No. 10213-79-3 EINECS no. 229-912-9

Registration no. 01-2119449811-37

Concentration >= 25 < 50 %

Classification (Regulation (EC) No. 1272/2008)

 Skin Corr. 1B
 H314

 STOT SE 3
 H335

 Eye Dam. 1
 H318

 Met. Corr. 1
 H290



Version: 3 / GB Replaces Version: 2 / GB Date revised: 11.11.2022 Print date: 31.05.23

sodium carbonate

CAS No. 497-19-8 EINECS no. 207-838-8

Registration no. 01-2119485498-19

Concentration >= 10 < 25 %

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

fatty alcohol, ethoxylated

CAS No. 146340-16-1 EINECS no. 604-522-5

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2 H315 Aquatic Acute 1 H400 Aquatic Chronic 3 H412

#### Other information

Complete text of hazard statements in chapter 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### General information

Remove contaminated clothing immediately and dispose of safely. In any case show the physician the Safety Data Sheet.

## After inhalation

Ensure supply of fresh air. When dust is intensively inhaled, seek medical help immediately.

#### After skin contact

Wash off immediately with soap and water. Take medical treatment.

## After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

#### After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

## Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

## 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

## 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.



Version: 3 / GB Replaces Version: 2 / GB Date revised: 11.11.2022 Print date: 31.05.23

#### Non suitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

#### 5.3. Advice for firefighters

## Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

#### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

## 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Knock down dust with water spray jet.

## 6.3. Methods and material for containment and cleaning up

Pick up mechanically. Dispose of absorbed material in accordance with the regulations.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid the formation and deposition of dust. Keep container tightly closed.

#### Advice on protection against fire and explosion

The product is not combustible.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed.

#### Storage classes

Storage class according to 8B Non-combustible corrosive hazardous substances TRGS 510

#### 7.3. Specific end use(s)

no data

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Exposure limit values**

#### sodium hydroxide

List EH40 Type WEL

Short term exposure limit 2 mg/m³



Version: 3 / GB Replaces Version: 2 / GB Date revised: 11.11.2022 Print date: 31.05.23

#### Other information

There are not known any further control parameters.

#### 8.2. Exposure controls

#### General protective and hygiene measures

Do not inhale dust/fumes/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

## **Respiratory protection**

Use breathing apparatus in dust-laden atmosphere. Particle filter P2

## Hand protection

Chemical resistant gloves

Use Permanent hand contact

Appropriate Material neoprene

Material thickness >= 0,65 mm Breakthrough time > 480 min

Appropriate Material butyl

Material thickness >= 0,7 mm
Breakthrough time > 480 min

Appropriate Material nitrile

Material thickness >= 0,4 mm

Breakthrough time > 480 min

Use Short-term hand contact

Appropriate Material nitrile

Material thickness >= 0,11 mm

Hand protection must comply with EN ISO 374.

#### Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

#### **Body protection**

Clothing as usual in the chemical industry.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state solid Colour white

**Odour** characteristic

**Melting point** 

Remarks not determined

Freezing point

Remarks not determined

## Boiling point or initial boiling point and boiling range

Remarks not determined

**Flammability** 

evaluation Not applicable

Upper and lower explosive limits

Remarks Not applicable

Flash point

Remarks Not applicable

Ignition temperature

Remarks Not applicable



Version: 3 / GB Replaces Version: 2 / GB Date revised: 11.11.2022 Print date: 31.05.23

**Decomposition temperature** 

Remarks

Remarks not determined

pH value

Value appr. 14

Concentration/H2O 10 %

**Viscosity** 

Remarks Not applicable

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Remarks not determined

Relative vapour density

Remarks not determined

9.2. Other information

**Odour threshold** 

Remarks not determined

**Evaporation rate (ether = 1):** 

Remarks not determined

Solubility in water

Remarks soluble

**Explosive properties** 

evaluation no

Oxidising properties

Remarks not determined

**Bulk density** 

Value 1,075 to 1,125 g/cm<sup>3</sup>

Other information

None known

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

#### 10.2. Chemical stability

No hazardous reactions known.

## 10.3. Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4. Conditions to avoid

No hazardous reactions known.

## 10.5. Incompatible materials



Version: 3 / GB Replaces Version: 2 / GB Date revised: 11.11.2022 Print date: 31.05.23

Strong exothermic reaction with acids.

## 10.6. Hazardous decomposition products

No hazardous decomposition products known.

## **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE > 2.000 mg/kg Method calculated value (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

**Acute oral toxicity (Components)** 

sodium carbonate

Species rat

LD50 2800 mg/kg

fatty alcohol, ethoxylated

Species rat

LD50 > 2000 mg/kg

disodium metasilicate pentahydrate

Species ra

LD50 1150 to 1350 mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

sodium carbonate

Species rabbit

LD50 > 2000 mg/kg

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

**Acute inhalative toxicity (Components)** 

sodium carbonate

Species mouse

LC50 1,2 mg/l

Duration of exposure 2 h

sodium carbonate

Species rat

LC50 2,3 mg/l

Duration of exposure 2 h

Skin corrosion/irritation

evaluation strongly corrosive

Remarks The classification criteria are met.

Serious eye damage/irritation

evaluation strongly corrosive

Remarks The classification criteria are met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity



Version: 3 / GB Replaces Version: 2 / GB Date revised: 11.11.2022 Print date: 31.05.23

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

**Reproduction toxicity (Components)** 

sodium carbonate

Remarks No indications of toxic effects were observed in reproduction studies in

animals.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)** 

Single exposure

evaluation May cause respiratory irritation.

Remarks The classification criteria are met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

## **Experience in practice**

Inhalation of dusts may irritate the respiratory tract.

#### Other information

There is no data available on the product apart from the information given in this subsection.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

#### **General information**

not determined

## Fish toxicity (Components)

sodium hydroxide

Species rainbow trout (Oncorhynchus mykiss)
LC50 45,4 mg/l

Duration of exposure 96 h

sodium carbonate

Species Bluegill (Lepomis macrochirus)

LC50 300 mg/l

Duration of exposure 96 h

fatty alcohol, ethoxylated

Species golden orfe (Leuciscus idus)

LC50 0,6 mg/l

Method DIN 38412 / Part 15

disodium metasilicate pentahydrate

Species zebra fish (Brachydanio rerio)

LC50 210 mg/l

Duration of exposure 96 h



mg/l

# neodisher LaboClean LA

Version: 3 / GB Replaces Version: 2 / GB Date revised: 11.11.2022 Print date: 31.05.23

#### **Daphnia toxicity (Components)**

sodium hydroxide

Species Daphnia magna EC50 > 100

Duration of exposure 48 h

sodium carbonate

Species Ceriodaphnia spec

EC50 200 to 227 mg/l Duration of exposure 48 h

fatty alcohol, ethoxylated

LC50 1,2 mg/l

Method DIN 38412 / Part 11

disodium metasilicate pentahydrate

Species Daphnia magna

EC50 1700 mg/l

Duration of exposure 48 h

## **Bacteria toxicity (Components)**

disodium metasilicate

Species activated sludge

EC50 > 100 mg/l

Duration of exposure 3 h

## 12.2. Persistence and degradability

#### **General information**

not determined

#### Ready degradability (Components)

fatty alcohol, ethoxylated

#### 12.3. Bioaccumulative potential

#### **General information**

not determined

## Partition coefficient n-octanol/water (log value)

Remarks not determined

## 12.4. Mobility in soil

#### **General information**

not determined

#### 12.5. Results of PBT and vPvB assessment

## Results of PBT and vPvB assessment

The product contains no PBT or vPvB substances.

## 12.6 Endocrine disrupting properties

#### Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## 12.7. Other adverse effects

## **General information**

not determined

## General information / ecology



Version: 3 / GB Replaces Version: 2 / GB Date revised: 11.11.2022 Print date: 31.05.23

Do not discharge product unmonitored into the environment. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## Disposal recommendations for the product

EWC waste code 18 01 06\* chemicals consisting of or containing dangerous substances

EWC waste code 20 01 29\* detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

## Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging Completely emptied packagings can be given for recycling.

EWC waste code 15 01 10\* packaging containing residues of or contaminated by

dangerous substances

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

## **SECTION 14: Transport information**

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		18 Alkalis	
14.1. UN number or ID number	1759	1759	1759
14.2. UN proper shipping name	CORROSIVE SOLID, N.O.S. (sodium hydroxide, disodium metasilicate)	CORROSIVE SOLID, N.O.S. (sodium hydroxide, disodium metasilicate)	CORROSIVE SOLID, N.O.S. (sodium hydroxide, disodium metasilicate)
14.3. Transport hazard class(es)	8	8	8
Label	B		<u> </u>
14.4. Packing group	II	II	II
Limited Quantity	1 kg	1 kg	
Transport category	2		
14.5. Environmental hazards		no	

## Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8



Version: 3 / GB Replaces Version: 2 / GB Date revised: 11.11.2022 Print date: 31.05.23

#### Other information

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Ingredients (Regulation (EC) No 648/2004)

15 % or over but less than 30 %:

phosphates

less than 5 %:

polycarboxylates, non-ionic surfactants

VOC

VOC (EU) 0 %

#### Other information

The product does not contain substances of very high concern (SVHC).

#### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

 Met. Corr. 1
 H290

 Skin Corr. 1A
 H314

 Eye Dam. 1
 H318

 STOT SE 3
 H335

## Hazard statements listed in Chapter 2/3

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

#### CLP categories listed in Chapter 2/3

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1 Aquatic Chronic 3 Hazardous to the aquatic environment, chronic, Category 3

Eye Dam. 1 Serious eye damage, Category 1

Eye Irrit. 2 Eye irritation, Category 2

Met. Corr. 1 Substance or mixture corrosive to metals, Category 1

Skin Corr. 1A Skin corrosion, Category 1A
Skin Corr. 1B Skin corrosion, Category 1B
Skin Irrit. 2 Skin irritation, Category 2

STOT SE 3 Specific target organ toxicity - single exposure, Category 3

#### **Abbreviations**

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route



Version: 3 / GB Replaces Version: 2 / GB Date revised: 11.11.2022 Print date: 31.05.23

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization IATA: International Air Transport Association

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by

the Protocol of 1978 (MARPOL: Marine Pollution)

IBC: Intermediate Bulk Container CAS: Chemical Abstracts Service VOC: Volatile Organic Compound

ISO: International Organization for Standardization

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

OECD: Organisation for Economic Co-operation and Development

#### **Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.