

Version: 4 / GB Replaces Version: 3 / GB Date revised: 13.04.2022 Print date: 20.01.23

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

neodisher Septo DN

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses

disinfectants

## 1.3. Details of the supplier of the safety data sheet

#### Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG

Mühlenhagen 85 D-20539 Hamburg

Telephone no. +49 40 789 60 0 Fax no. +49 40 789 60 120

www.drweigert.com

## E-mail address of person responsible for this SDS:

sida@drweigert.de

## 1.4. Emergency telephone number

Emergency telephone number: 112

## SECTION 2: Hazards identification \*\*\*

## 2.1. Classification of the substance or mixture

## Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4	H302
Acute Tox. 4	H332
Skin Corr. 1B	H314
Eye Dam. 1	H318
Resp. Sens. 1	H334
Skin Sens. 1	H317
STOT SE 3	H335
Aquatic Chronic 3	H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

### 2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Version: 4 / GB Replaces Version: 3 / GB Date revised: 13.04.2022 Print date: 20.01.23



#### Signal word

Danger

#### **Hazard statements**

H302+H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

#### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

Dispose only when container is empty and closed. For disposal of product

residues, refer to safety data sheet.

## Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains glutaral

#### 2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Hazardous ingredients

glutaral

CAS No. 111-30-8 EINECS no. 203-856-5

Registration no. 01-2119455549-26

Concentration >= 10 < 25 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 2 H330 Acute Tox. 3 H301 Skin Corr. 1B H314 Resp. Sens. 1 H334 Skin Sens. 1A H317 STOT SE 3 H335 Aquatic Acute 1 H400 Aquatic Chronic 2 H411



Version: 4 / GB Replaces Version: 3 / GB Date revised: 13.04.2022 Print date: 20.01.23

Concentration limits (Regulation (EC) No. 1272/2008)

STOT SE 3 H335 >= 0,5 < 5 %

Aquatic Acute 1 M = 1 Aquatic Chronic 1 M = 1

#### Other information

Complete text of hazard statements in chapter 16

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Remove contaminated, soaked clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

#### After inhalation

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately.

## After skin contact

Wash off immediately with soap and water. Seek medical advice immediately.

## After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

#### After ingestion

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

## Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

## 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

## 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Dry powder, Foam, Water spray jet

#### Non suitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

## 5.3. Advice for firefighters

## Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

#### Other information



Version: 4 / GB Replaces Version: 3 / GB Date revised: 13.04.2022 Print date: 20.01.23

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

## 6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of absorbed material in accordance with the regulations.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid formation of aerosols. Perform filling operations only at stations with exhaust ventilation facilities. Provide suitable exhaust ventilation at the processing machines. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Keep container tightly closed.

## 7.2. Conditions for safe storage, including any incompatibilities

### Recommended storage temperature

Value > 0 < 30 °C

#### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

#### Hints on storage assembly

Do not store together with foodstuffs.

## Storage classes

Storage class according to 8B Non-combustible corrosive hazardous substances TRGS 510

### Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized.

## 7.3. Specific end use(s)

no data

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

**Exposure limit values** 

glutaral

List EH40



Version: 4 / GB Replaces Version: 3 / GB Date revised: 13.04.2022 Print date: 20.01.23

Type WEL

Value 0.2  $mg/m^3$  0.05 ppm(V)Short term exposure limit 0.2  $mg/m^3$  0.05 ppm(V)

Remarks: Sen

#### Other information

There are not known any further control parameters.

#### 8.2. Exposure controls

## General protective and hygiene measures

Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

### **Respiratory protection**

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Respiratory protection mask with combination filter A/P2

#### **Hand protection**

Chemical resistant gloves

Use Permanent hand contact

Appropriate Material neoprene

Material thickness >= 0,65 mm

Breakthrough time > 480

Appropriate Material nitrile

Material thickness >= 0,4 mm Breakthrough time > 480 min

Appropriate Material butyl

Material thickness >= 0,7 mm

Breakthrough time > 480 min

Use Short-term hand contact

Appropriate Material nitrile

Material thickness >= 0,11 mm

Hand protection must comply with EN 374.

#### Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

#### **Body protection**

Clothing as usual in the chemical industry.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state liquid

Colourlight yellow, clearOdourcharacteristic

**Melting point** 

Remarks not determined

Freezing point

Remarks not determined

#### Boiling point or initial boiling point and boiling range

Remarks not determined

**Flammability** 

evaluation Not applicable



Version: 4 / GB Replaces Version: 3 / GB Date revised: 13.04.2022 Print date: 20.01.23

Upper and lower explosive limits

Remarks Not applicable

Flash point

Remarks Not applicable

Ignition temperature

Remarks Not applicable

**Decomposition temperature** 

Remarks

Remarks not determined

pH value

Value appr. 4

Temperature 20 °C

**Viscosity** 

dynamic

Value < 10 mPa.s

Temperature 20 °C

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value 1,03 g/cm<sup>3</sup>

Temperature 20 °C

Relative vapour density

Remarks not determined

9.2. Other information

**Odour threshold** 

Remarks not determined

**Evaporation rate (ether = 1):** 

Remarks not determined

Solubility in water

Remarks miscible in all proportions

**Explosive properties** 

evaluation no

Oxidising properties

evaluation None known

Other information

None known

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability



Version: 4 / GB Replaces Version: 3 / GB Date revised: 13.04.2022 Print date: 20.01.23

No hazardous reactions known.

## 10.3. Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4. Conditions to avoid

No hazardous reactions known.

#### 10.5. Incompatible materials

Reactions with amines.

#### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute oral toxicity** 

Species rat

LD50 300 to 2000 mg/kg Method calculated value (Regulation (EC) No. 1272/2008)

**Acute oral toxicity (Components)** 

glutaral

Species rat

77 mg/kg

Method OECD 401

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

**Acute dermal toxicity (Components)** 

glutaral

Species rabbit

> 2000 mg/kg

Acute inhalational toxicity

Species rat

LC50 1 to 5 mg/l

Administration/Form Dust/Mist

Method calculated value (Regulation (EC) No. 1272/2008)

**Acute inhalative toxicity (Components)** 

glutaral

Species rat

LC50 0,28 to 0,48 mg/l

Duration of exposure 4 h

Administration/Form Dust/Mist Method OECD 403

Skin corrosion/irritation

evaluation corrosive

Remarks The classification criteria are met.

Serious eye damage/irritation

evaluation corrosive

Remarks The classification criteria are met.

Sensitization

Route of exposure inhalative



Version: 4 / GB Replaces Version: 3 / GB Date revised: 13.04.2022 Print date: 20.01.23

evaluation sensitizing
Route of exposure dermal
evaluation sensitizing

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)** 

Remarks Inhalation may lead to irritation of the respiratory tract.

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

### Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

### **Experience in practice**

Inhalation may lead to irritation of the respiratory tract.

#### Other information

There is no data available on the product apart from the information given in this subsection.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

#### **General information**

not determined

#### Fish toxicity (Components)

glutaral

Species Fathead minnow (Pimephales promelas) LC50 5,4 mg/l

Duration of exposure 96 h

## **Daphnia toxicity (Components)**

glutaral

Species Daphnia magna

EC50 5 mg/l

Duration of exposure 48 h

## Algae toxicity (Components)

glutaral

Species Selenastrum capricornutum

LC50 0,81 mg/l

Duration of exposure 120 h

#### **Bacteria toxicity (Components)**

glutaral

Species activated sludge

EC20 appr. 15 mg/l



Version: 4 / GB Replaces Version: 3 / GB Date revised: 13.04.2022 Print date: 20.01.23

Duration of exposure 30 min

Method OECD 209

## 12.2. Persistence and degradability

#### **General information**

not determined

#### **Biodegradability**

evaluation Readily biodegradable (according to OECD criteria)

## 12.3. Bioaccumulative potential

#### **General information**

not determined

### Partition coefficient n-octanol/water (log value)

Remarks not determined

## 12.4. Mobility in soil

#### **General information**

not determined

#### 12.5. Results of PBT and vPvB assessment

#### Results of PBT and vPvB assessment

The product contains no PBT or vPvB substances.

#### 12.6 Endocrine disrupting properties

## Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

#### 12.7. Other adverse effects

#### **General information**

not determined

#### General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## Disposal recommendations for the product

EWC waste code 18 01 06\* chemicals consisting of or containing dangerous substances

EWC waste code 20 01 29\* detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste

disposal company.

#### Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging Completely emptied packagings can be given for recycling.

EWC waste code 15 01 10\* packaging containing residues of or contaminated by

dangerous substances

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

## **SECTION 14: Transport information**



Version: 4 / GB Replaces Version: 3 / GB Date revised: 13.04.2022 Print date: 20.01.23

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		0 Not applicable	
14.1. UN number or ID number	1903	1903	1903
14.2. UN proper shipping name	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (glutaral)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (glutaral)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (glutaral)
14.3. Transport hazard class(es)	8	8	8
Label	8		
14.4. Packing group	III	III	III
Limited Quantity	51	51	
Transport category	3		
14.5. Environmental hazards		no	

## Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

## Other information

**14.7 Maritime transport in bulk according to IMO instruments**Not applicable

## **SECTION 15: Regulatory information \*\*\***

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

VOC (EU) 0 %

Other information

The product contains SVHC-substances

## 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)



Print date: 20.01.23 Replaces Version: 3 / GB Date revised: 13.04.2022 Version: 4 / GB

Acute Tox. 4	H302
Acute Tox. 4	H332
Skin Corr. 1B	H314
Eye Dam. 1	H318
Resp. Sens. 1	H334
Skin Sens. 1	H317
STOT SE 3	H335
Aquatic Chronic 3	H412

## Hazard statements listed in Chapter 2/3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### CLP categories listed in Chapter 2/3

Acute Tox. 2	Acute toxicity, Category 2
Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment, chronic, Category 3

Eye Dam. 1 Serious eye damage, Category 1 Resp. Sens. 1 Respiratory sensitization, Category 1 Skin Corr. 1B Skin corrosion, Category 1B Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1A Skin sensitization, Category 1A

STOT SE 3 Specific target organ toxicity - single exposure, Category 3

#### **Abbreviations**

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization IATA: International Air Transport Association

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by

the Protocol of 1978 (MARPOL: Marine Pollution)

IBC: Intermediate Bulk Container CAS: Chemical Abstracts Service VOC: Volatile Organic Compound

ISO: International Organization for Standardization

OEL: Occupational exposure limit

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative SVHC: Substances of very high concern

**IUCLID: International Uniform Chemical Information Database** OECD: Organisation for Economic Co-operation and Development

IMO: International Maritime Organization



Version: 4 / GB Replaces Version: 3 / GB Date revised: 13.04.2022 Print date: 20.01.23

GHS: Globally Harmonized System of classification and Labelling of Chemicals REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals

UN: United Nations EU: European Union

## **Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.