





Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 17.05.2023

Print date: 12.07.23

Precautionary statements

· · · · · · · · · · · · · · · · · · ·	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor.
	Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains

disodium metasilicate

Supplemental information

Further supplemental information

Contact with acids liberates toxic gas.

2.3. Other hazards

The product contains no PBT or vPvB substances.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

disodium metasilicate CAS No.	10213-79-3			
EINECS no.	229-912-9			
Registration no.	01-2119449811-37		50	•
Concentration	>= 25	<	50	%
Classification (Regular	ion (EC) No. 1272/2008) Skin Corr. 1B	LI214		
	STOT SE 3	H314 H335		
	Eye Dam. 1	H318		
	Met. Corr. 1	H290		
		11230		
sodium carbonate				
CAS No.	497-19-8			
EINECS no.	207-838-8			
Registration no.	01-2119485498-19			
Concentration	>= 25	<	50	%
Classification (Regulat	ion (EC) No. 1272/2008)			
	Eyè Irrit. 2	H319		
troclosene sodium				
CAS No.	2893-78-9			
EINECS no.	220-767-7			
Registration no.	01-2119489371-33			
Concentration	>= 1	<	2,5	%
Classification (Regulat	ion (EC) No. 1272/2008)			
	Ox. Sol. 2	H272		



Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 17.05.2023

Print date: 12.07.23

	Acute Tox. 4	H302	
	Eye Irrit. 2	H319	
	STOT SE 3	H335	
	Aquatic Acute 1	H400	
	Aquatic Chronic 1	H410	
Concentration limits (F	Regulation (EC) No. STOT SE 3	1272/2008) H335	>= 0,1 %
Additional remarks: CLP	Regulation (EC) No	o 1272/2008,	Annex VI, Note G

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When dust is intensively inhaled, seek medical help immediately.

After skin contact

Wash off immediately with soap and water. Take medical treatment.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / bazards

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Non suitable extinguishing media

Compatible with all usual extinguishing media.

5.2. Special hazards arising from the substance or mixture In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters



neodisher	brilliant	clean			
Version: 3 / GB	Replaces Ve	ersion: 2 / GB	Date revised:	17.05.2023	Print date: 12.07.23
	ctive equipmen e explosion and/or	-	i ng ses. In case of con	nbustion use a s	suitable breathing
	aminated fire-fighti		tely, must not be c isposed of in acco		the drains. Fire residues local regulations.
SECTION 6: Acci	dental release	measures			
6.1. Personal pro	ecautions, pro		oment and eme	ergency proc	cedures
6.2. Environmen Do not disch			s/groundwater. Kn	ock down dust	with water spray jet.
6.3. Methods an Pick up med			and cleaning understand		lations.
6.4. Reference to Refer to pro	o other sectior tective measures I		7 and 8.		
SECTION 7: Hand	dling and stora	age			
7.1. Precautions	for safe hand	ling			
Advice on sa Avoid the fo	•	sition of dust. Ke	ep container tightly	/ closed.	
7.2. Conditions	for safe storag	je, including	any incompati	bilities	
Recommend Value	ed storage temp		< 25	°C	
Requirement	s for storage ro inal packaging, tig				
Storage class Storage class TRGS 510	ses according to	8B 1	Non-combustible c	orrosive hazard	lous substances
7.3. Specific end no data	l use(s)				
SECTION 8: Expo	osure controls	/personal pro	otection		
8.1. Control para	ameters				
Other information		er control param	eters.		
8.2. Exposure co	ontrols				
Do not inhal		sols. Avoid conta			, drink or smoke during r work; apply skin cream.
Respiratory p	protection		here. Particle filter		

Hand protection

Chemical resistant gloves Use

Permanent hand contact



neodisher b	rilliant	clean			
Version: 3 / GB	Replaces Ver	rsion: 2 / GB	Date revised:	17.05.2023	Print date: 12.07.23
Appropriate Mat Material thicknes Breakthrough tin Appropriate Mat Material thicknes Breakthrough tin Appropriate Mat Material thicknes Breakthrough tin Use Appropriate Mat Material thicknes Hand protection	ss >= ne > erial ni ss >= ne > erial bu ss >= ne > SI erial ni ss >=	480 trile = 0,4 480 utyl = 0,7 480 nort-term hand trile = 0,11	mm		
Eye protection Safety glasses v	vith side protect	ion shield; Eye	protection must c	omply with EN 166.	
SECTION 9: Physica					
9.1. Information on Physical state Colour Odour Melting point	basic physi	cal and che solid white characteristic		es	
Remarks Freezing point Remarks		not determine			
Boiling point or i Remarks Flammability	initial boiling		oiling range		
evaluation Upper and lower	explosive lin				
Remarks Flash point Remarks		Not applicable			
Ignition tempera Remarks		Not applicable	e		
Decomposition t Remarks Remarks	emperature	not determine	ed		
pH value Value Concentration/H Temperature	20	appr. 13 10 20	% °C		
Viscosity Remarks Solubility(ies)		Not applicable			
Remarks Partition coeffici	ent n-octanol	not determine water (log v/			
Remarks		not determine	•		



	orilliant clean	
Version: 3 / GB	Replaces Version: 2 / GB Date revise	ed: 17.05.2023 Print date: 12.07.2
Vapour pressur		
Remarks	not determined	
Density and/or I	-	
Remarks	not determined	
Relative vapour	-	
Remarks	not determined	
9.2. Other informat	ion	
Odour threshold	1	
Remarks	not determined	
Evaporation rate		
Remarks	not determined	
Solubility in wat	er	
Remarks	soluble	
Explosive prope	rties	
evaluation	no	
Oxidising prope		
evaluation	None known	
Bulk density		
Value		050 kg/m³
Other information	on in the second se	
SECTION 10: Stabil	ty and reactivity	
10.1. Reactivity No hazardous r	eactions when stored and handled according t	to prescribed instructions.
10.2. Chemical sta No hazardous r	bility eactions known.	
	hazardous reactions eactions known.	
10.4. Conditions to No hazardous r	eactions known.	
10.5. Incompatible Evolution of chl	materials orine under influence of acids. Strong exother	mic reaction with acids.
	ecomposition products lecomposition products known.	
SECTION 11: Toxic	ological information	
11.1 Information o	n hazard classes as defined in Regu	lation (EC) No 1272/2008
Acute oral toxic	-	· · · · · · · · · · · · · · · · · · ·
ATE	> 2000	mg/kg
Method	calculated value (Regulation (E	C) No. 1272/2008)
Remarks	Based on available data, the cla	assification criteria are not met.
Acute oral toxic	ity (Components)	
troclosene sodi	ım	



/ersion: 3 / GB	Replaces V	ersion:	2 / GB	Date	revised:	17.05.2023	Print date: 12.07.23
Species LD50	I	rat	1400			mg/kg	
disodium metasil Species LD50		ydrate rat	1150	to	1350	mg/kg	
sodium carbonat Species LD50		rat	2800			mg/kg	
Acute dermal tox	cicity						
Remarks	-	Based	on availab	ole data,	the classi	fication criteria a	are not met.
Acute dermal tox	cicity (Comp	onent	s)				
troclosene sodiu Species LD50 Source	1	rat > IUCLID	5000			mg/kg	
sodium carbonat Species LD50	1	rabbit >	2000			mg/kg	
Acute inhalation	-				41 I	C = 41 = =	
Remarks				ole data,	the classi	fication criteria a	are not met.
Acute inhalative	• •	mpon	ents)				
sodium carbonat Species LC50 Duration of expo	I	mouse	1,2 2	h		mg/l	
sodium carbonat Species LC50 Duration of expo	e I	rat	2,3 2	h		mg/l	
Skin corrosion/ir							
evaluation Remarks	(corrosi\ The cla	ve ssificatior	n criteria	are met.		
Serious eye dam	age/irritatio	n					
evaluation Remarks		corrosi\ The cla	ve ssificatior	n criteria	are met.		
Sensitization Remarks	I	Based	on availab	ole data,	the classi	fication criteria a	are not met.
Subacute, subch Remarks	•		•	ole data,	the classi	fication criteria a	are not met.
Mutagenicity Remarks						fication criteria a	
Reproductive tox Remarks	-	Based	on availab	ole data,	the classi	fication criteria a	are not met.
Reproduction to:	xicity (Comp	ponent	ts)				
sodium carbonat Remarks	e		cations of	toxic eff	ects were	observed in rep	production studies in
Carcinogenicity							



neodisher	[·] brilliant c	lean				
Version: 3 / GB	Replaces Versi	on: 2/GB	Date	e revised:	17.05.2023	Print date: 12.07.23
Remarks	Bas	ed on availabl	e data,	the classifi	ication criteria a	are not met.
Specific Tar	get Organ Toxicity	(STOT)				
Single exp evaluation Remarks	Мау	cause respira				
Repeated e Remarks		ed on availabl	e data,	the classifi	ication criteria a	are not met.
Aspiration h Based on a	azard vailable data, the class	sification criter	ria are r	not met.		
11.2 Information	n on other hazard	S				
	i srupting propertie s t does not contain a su	=			rupting propertie	es with respect to
Experience i Inhalation o	n practice f dusts may irritate the	e respiratory tr	act.			
Other inform	-	. ,				
There is no	data available on the	product apart	from th	e informatio	on given in this	subsection.
SECTION 12: Ec	ological informati	on				
12.1. Toxicity General info not determi Fish toxicity						
troclosene s						
Species		egill (Lepomis	macroc	hirus)		
LC50 Duration of Source	exposure IUC	0,28 96 UD	h		mg/l	
	etasilicate pentahydra					
Species	zebi	ra fish (Brachy	/danio r	erio)		
LC50 Duration of	exposure	210 96	h		mg/l	
sodium carb Species LC50	onate	egill (Lepomis 300		hirus)	mg/l	
Duration of	exposure	96	h		Ū	
Daphnia toxi	city (Components)					
troclosene s						
Species LC50	Dap	hnia magna 0,18	to	0,21	mg/l	
Duration of	exposure	48	h	0,21	mg/i	
Source	IUC	LID				
Species	etasilicate pentahydra Dap	hnia magna			mc/l	
EC50 Duration of	exposure	1700 48	h		mg/l	
sodium carb Species	onate	odaphnia spe	с			



neodisher	brillian	t clean				
Version: 3 / GB	Replaces	Version: 2 / GE	3 Dat	e revised:	17.05.2023	Print date: 12.07.23
EC50 Duration of e		200 48	to h	227	mg/l	
Algae toxicity	· ·	15)				
troclosene so Species EC50	dium	Chlorella pyre < 0,5	noidosa		mg/l	
Duration of e	xposure	3	h		iiig/i	
12.2. Persistence General inform not determine	nation	dability				
12.3. Bioaccumu General inforr not determine Partition coeff Remarks	mation ed					
12.4. Mobility in s General inform not determine	nation					
12.5. Results of F	PBT and vP	vB assessme	ent			
General inforr not determine						
Results of PB The product of		assessment T or vPvB subst	tances.			
12.6 Endocrine d	lisrupting p	roperties				
Endocrine dis The product of non-target or	does not contai		-			es with respect to
12.7. Other adver	rse effects					
General inforr not determine						
General inforr Do not allow		ogy aterways or was	ste water c	anal		
SECTION 13: Disp	oosal consid	derations				
13.1. Waste treat	ment metho	ods				
Disposal reco	mmendation	s for the prod	luct			
EWC waste o EWC waste o	code code iste code numb	18 01 06* 20 01 29* bers, according t	chemicals detergent to the Euro	s containin pean Was	ig dangerous su te Catalogue (E	
understood a disposal com						
	pany. mmendation					



Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 17.05.2023

Print date: 12.07.23

dangerous substances

Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		18 Alkalis	
14.1. UN number or ID number	3253	3253	3253
14.2. UN proper shipping name	DISODIUM TRIOXOSILICATE	DISODIUM TRIOXOSILICATE	DISODIUM TRIOXOSILICATE
14.3. Transport hazard class(es)	8	8	8
Label	La	A A A A A A A A A A A A A A A A A A A	a a a a a a a a a a a a a a a a a a a
14.4. Packing group	Ш		ш
Limited Quantity	5 kg	5 kg	
Transport category	3		
14.5. Environmental hazards		no	

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7 Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

30 % and more: phosphates less than 5 %: chlorine-based bleaching agents

Water Hazard Class (Germany)

Water Hazard Class WGK 1 (Germany)



ersion: 3/GB	Replaces Version: 2 / GB	Date revised:	17.05.2023	Print date: 12.07.23
Remarks	Derivation of WG	K according to Ar	inex 1 No. 5.2 A	wSV
VOC (EU)	0	%		
Other informat		erv high concern (S	SVHC)	
5.2. Chemical sa	afety assessment aration a chemical safety assessn		·	
ECTION 16: Othe		ient nas not been	carried out.	
Classification	and procedure used to deriv	ve the classifica	tion for mixtu	res according to
Regulation (EC	C) 1272/2008 [CLP]:			U
Classification	(Regulation (EC) No. 1272/2008)		a	
	Skin Corr. 1	H314	Calculation	
	Eye Dam. 1	H318	Calculation	
	STOT SE 3 Aquatic Chronic 3	H335 H412	Calculation Calculation	
	•	11712	Calculation	metriou
	ents listed in Chapter 2/3			
H272	May intensify fire			
H290	May be corrosive			
H302	Harmful if swallo			
H314		kin burns and eye	damage.	
H318	Causes serious e			
H319	Causes serious e			
H335	May cause respir			
H400	Very toxic to aqu	atic life. atic life with long l	acting offecte	
H410 H412		ic life with long las		
		is me with long ids		
•	s listed in Chapter 2/3			
Acute Tox. 4	Acute toxicity, Ca			
Aquatic Acute		aquatic environm		0,
Aquatic Chror		aquatic environm		
Aquatic Chror		aquatic environm	ient, chronic, Ca	tegory 3
Eye Dam. 1	Serious eye dam			
Eye Irrit. 2	Eye irritation, Ca		motola Cataora	. 1
Met. Corr. 1		ture corrosive to	netais, Category	ý I
Ox. Sol. 2 Skin Corr. 1	Oxidising solid, C	• •		
Skin Corr. 1B	Skin corrosion, C Skin corrosion, C			
STOT SE 3	,	gan toxicity - sing	le exposure. Cat	egory 3
Abbreviations		Sent textionly on g		
	ouronéon rolatif ou transport inte	mational day mar	bandisca Dana	orousos par Pouto
	européen relatif au transport inte ent concernant le transport interna			
	ational Maritime Code for Danger			s dangereuses
	tional Civil Aviation Organization			
	tional Air Transport Association			
	al Abstracts Service			
	Organic Compound			
LD: Lethal do				
LC: Lethal co				
	ent, Bioaccumulative and Toxic			
	ersistent and very bioaccumulativ	e		
	ances of very high concern			
	78: International Convention for th			



Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 17.05.2023

Print date: 12.07.23

the Protocol of 1978 (MARPOL: Marine Pollution) IBC: Intermediate Bulk Container OEL: Occupational exposure limit TSCA: Toxic Substances Control Act (USA) IMO: International Maritime Organization GHS: Globally Harmonized System of classification and Labelling of Chemicals REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals UN: United Nations

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.