

Version: 3 / GB Replaces Version: 2 / GB Date revised: 15.12.2020 Print date: 20.01.23

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

neodisher compact 140

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses

PC35 Washing and cleaning products (including solvent based products)

#### 1.3. Details of the supplier of the safety data sheet

#### Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG

Mühlenhagen 85 D-20539 Hamburg

Telephone no. +49 40 789 60 0 Fax no. +49 40 789 60 120

www.drweigert.com

#### E-mail address of person responsible for this SDS:

sida@drweigert.de

## 1.4. Emergency telephone number

Emergency telephone number: 112

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1 H290 Skin Corr. 1A H314 Eye Dam. 1 H318

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

### 2.2. Label elements

#### Labelling according to regulation (EC) No 1272/2008

#### Hazard pictograms



## Signal word

Danger

#### **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

#### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.



Version: 3 / GB Replaces Version: 2 / GB Date revised: 15.12.2020 Print date: 20.01.23

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

Dispose only when container is empty and closed. For disposal of product

residues, refer to safety data sheet.

## Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains sodium hydroxide

#### 2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous ingredients**

## fatty alcohol, ethoxylated

CAS No. 146340-16-1 EINECS no. 604-522-5

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2 H315 Aquatic Acute 1 H400 Aquatic Chronic 3 H412

sodium hydroxide

CAS No. 1310-73-2 EINECS no. 215-185-5

Registration no. 01-2119457892-27

Concentration >= 50 %

Classification (Regulation (EC) No. 1272/2008)

 Met. Corr. 1
 H290

 Skin Corr. 1A
 H314

 Eye Dam. 1
 H318

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 >= 0,5 < 2 % Skin Corr. 1A H314 >= 5 % Skin Corr. 1B H314 >= 2 < 5 % Skin Irrit. 2 H315 >= 0,5 < 2 %

#### Other information

Complete text of hazard statements in chapter 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

## **General information**

Remove contaminated clothing immediately and dispose of safely. In any case show the physician the Safety Data Sheet.



Version: 3 / GB Replaces Version: 2 / GB Date revised: 15.12.2020 Print date: 20.01.23

#### After inhalation

Ensure supply of fresh air. When dust is intensively inhaled, seek medical help immediately.

#### After skin contact

Wash off immediately with soap and water. Take medical treatment.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

#### After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

## Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

## 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

## 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

#### Non suitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

#### 5.3. Advice for firefighters

### Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

#### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Knock down dust with water spray jet.

### 6.3. Methods and material for containment and cleaning up

Pick up mechanically. Dispose of absorbed material in accordance with the regulations.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

### **SECTION 7: Handling and storage**



Version: 3 / GB Replaces Version: 2 / GB Date revised: 15.12.2020 Print date: 20.01.23

## 7.1. Precautions for safe handling

### Advice on safe handling

Avoid the formation and deposition of dust. Keep container tightly closed.

## Advice on protection against fire and explosion

The product is not combustible.

## 7.2. Conditions for safe storage, including any incompatibilities

## Recommended storage temperature

Value > 0 < 30 °C

#### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed.

#### Storage classes

Storage class according to 8B Non-combustible corrosive hazardous substances TRGS 510

#### 7.3. Specific end use(s)

no data

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limit values**

#### sodium hydroxide

List EH40 Type WEL

Short term exposure limit 2 mg/m³

#### Other information

There are not known any further control parameters.

#### 8.2. Exposure controls

#### General protective and hygiene measures

Do not inhale dust/fumes/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

### **Respiratory protection**

Use breathing apparatus in dust-laden atmosphere. Particle filter P2

## **Hand protection**

Chemical resistant gloves

Use Permanent hand contact Appropriate Material neoprene Material thickness >= 0,65 mm Breakthrough time 480 min Appropriate Material butyl Material thickness 0.7 mm Breakthrough time 480 min Appropriate Material nitrile 0,4 Material thickness mm >= Breakthrough time 480 min Short-term hand contact Use Appropriate Material nitrile Material thickness mm

Hand protection must comply with EN 374.



Version: 3 / GB Replaces Version: 2 / GB Date revised: 15.12.2020 Print date: 20.01.23

#### Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

#### **Body protection**

Clothing as usual in the chemical industry.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state solid Colour white

**Odour** characteristic

**Melting point** 

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Remarks not determined

**Flammability** 

evaluation Not applicable

Upper and lower explosive limits

Remarks Not applicable

Flash point

Remarks Not applicable

Ignition temperature

Remarks Not applicable

**Decomposition temperature** 

Remarks

Remarks not determined

pH value

Value appr. 14 Concentration/H2O 10

Temperature 20 °C

**Viscosity** 

Remarks Not applicable

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Remarks not determined

Relative vapour density

Remarks not determined

9.2. Other information

**Odour threshold** 



Version: 3 / GB Replaces Version: 2 / GB Date revised: 15.12.2020 Print date: 20.01.23

Remarks not determined

**Evaporation rate (ether = 1):** 

Remarks not determined

Solubility in water

Remarks soluble

**Explosive properties** 

evaluation no

Oxidising properties

evaluation None known

**Bulk density** 

Value appr. 1,1 g/cm<sup>3</sup>

Temperature 20 °C

Other information
None known

### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

### 10.2. Chemical stability

No hazardous reactions known.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4. Conditions to avoid

No hazardous reactions known.

#### 10.5. Incompatible materials

Strong exothermic reaction with acids. Corrodes aluminium.

## 10.6. Hazardous decomposition products

No hazardous decomposition products known.

#### **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute oral toxicity** 

Species rat

ATE > 2000 mg/kg Method calculated value (Regulation (EC) No. 1272/2008)

#### **Acute oral toxicity (Components)**

fatty alcohol, ethoxylated

Species rat

LD50 > 2000 mg/kg

**Acute dermal toxicity** 

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation strongly corrosive



Version: 3 / GB Replaces Version: 2 / GB Date revised: 15.12.2020 Print date: 20.01.23

Serious eye damage/irritation

evaluation strongly corrosive

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)** 

Remarks not determined

**Aspiration hazard** 

No special hazards have to be mentioned.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

#### **Experience in practice**

Inhalation of dusts may irritate the respiratory tract.

#### Other information

There is no data available on the product apart from the information given in this subsection.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

#### **General information**

not determined

## Fish toxicity (Components)

sodium hydroxide

Species rainbow trout (Oncorhynchus mykiss)

LC50 45,4 mg/l

Duration of exposure 96 h

fatty alcohol, ethoxylated

Species golden orfe (Leuciscus idus)

LC50 0,6 mg/l

Method DIN 38412 / Part 15

## **Daphnia toxicity (Components)**

sodium hydroxide

Species Daphnia magna

EC50 > 100 mg/l

Duration of exposure 48 h

fatty alcohol, ethoxylated

LC50 1,2 mg/l

Method DIN 38412 / Part 11



Version: 3 / GB Replaces Version: 2 / GB Date revised: 15.12.2020 Print date: 20.01.23

## 12.2. Persistence and degradability

#### **General information**

not determined

### 12.3. Bioaccumulative potential

#### **General information**

not determined

#### Partition coefficient n-octanol/water (log value)

Remarks not determined

#### 12.4. Mobility in soil

#### **General information**

not determined

#### 12.5. Results of PBT and vPvB assessment

#### Results of PBT and vPvB assessment

The product contains no PBT or vPvB substances.

#### 12.6 Endocrine disrupting properties

## Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

#### 12.7. Other adverse effects

#### **General information**

not determined

#### General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Disposal recommendations for the product

EWC waste code 18 01 06\* chemicals consisting of or containing dangerous substances

EWC waste code 20 01 29\* detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

## Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging Completely emptied packagings can be given for recycling.

EWC waste code 15 01 10\* packaging containing residues of or contaminated by

dangerous substances

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

## **SECTION 14: Transport information**



Version: 3 / GB Replaces Version: 2 / GB Date revised: 15.12.2020 Print date: 20.01.23

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		18 Alkalis	
14.1. UN number or ID number	1823	1823	1823
14.2. UN proper shipping name	SODIUM HYDROXIDE, SOLID, Mixture	SODIUM HYDROXIDE, SOLID, Mixture	SODIUM HYDROXIDE, SOLID, Mixture
14.3. Transport hazard class(es)	8	8	8
Label	8		
14.4. Packing group	II	II	II
Limited Quantity	1 kg	1 kg	
Transport category	2		
14.5. Environmental hazards		no	

## Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

#### Other information

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

30 % and more:

phosphates

less than 5 %:

non-ionic surfactants

#### Water Hazard Class (Germany)

Water Hazard Class

WGK 1

(Germany)

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

VOC

VOC (EU) 0 %



Version: 3 / GB Replaces Version: 2 / GB Date revised: 15.12.2020 Print date: 20.01.23

#### Other information

The product does not contain substances of very high concern (SVHC).

#### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

#### **SECTION 16: Other information**

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1 H290 Skin Corr. 1A H314 Eye Dam. 1 H318

#### Hazard statements listed in Chapter 2/3

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

#### CLP categories listed in Chapter 2/3

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 3 Hazardous to the aquatic environment, chronic, Category 3

Eye Dam. 1 Serious eye damage, Category 1

Met. Corr. 1 Substance or mixture corrosive to metals, Category 1

Skin Corr. 1A Skin corrosion, Category 1A Skin Irrit. 2 Skin irritation, Category 2

#### **Abbreviations**

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization IATA: International Air Transport Association

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by

the Protocol of 1978 (MARPOL: Marine Pollution)

IBC: Intermediate Bulk Container CAS: Chemical Abstracts Service VOC: Volatile Organic Compound

ISO: International Organization for Standardization

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative SVHC: Substances of very high concern

OECD: Organisation for Economic Co-operation and Development

#### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.