

# doscan<sup>®</sup> TR 15

Complexing and dispersing agent – Liquid concentrate



## Properties:

doscan TR 15 is a combination of highly effective complexing agents and dispersants. In addition to calcium and magnesium, higher level metal ions are also bound.

## Main fields of application:

doscan TR 15 prevents the forming of anorganic deposits and disperses organic clouding agents in cooling water circuits and process water systems.

For professional use only!

## Dosage:

In cold water and tap water circuits with water hardnesses up to 15 °dH the basic dose of doscan TR 15 is 80 - 150 g/m<sup>3</sup> (ppm). The subsequent dose is proportional to the quantity of fresh water at 50 - 100 g/m<sup>3</sup>.

With water hardnesses above 15 °dH the dosage should be individually determined by our appropriate technical service department.

Do not mix with other products.

Controlled, safe and economic application is ensured by our weigomatic dosing systems. We are a specialist company in accordance with the German WHG (Water Conservation Act). Suited to the relevant conditions and requirements we plan, install and maintain central and distributed dosing units.

## Technical data:

Appearance:	Green liquid
Density at 20 °C:	1.16 g/cm <sup>3</sup>
pH-value (1 % in deionised water):	approx. 10

## Ingredients:

Ingredients according to Regulation (EC) No 648/2004 on detergents:  
15 - 30 % polycarboxylates  
also preservatives (sodium hydroxymethylglycinate)

## Storage information:

Always store at a temperature range between 0 and 30 °C.

Usable for 4 years when stored as recommended. For expiry date refer to the stamp mark on the label behind the hour glass symbol 

## Hazard and precautionary statements:

For safety information see EC safety data sheets. These are available at [www.drweigert.com](http://www.drweigert.com) under the category "Download".

If applied according to the instructions for use the product is safe according to the appropriate guidelines for food processing.

Dispose only when container is empty and closed. For disposal of product residues, refer to the Material Safety Data Sheet.

MB 1402 GB/2-3  
11/14



Chemische Fabrik Dr. Weigert GmbH & Co. KG  
Mühlenhagen 85, D – 20539 Hamburg

Telefon: (040) 789 60 - 0  
Telefax: (040) 789 60 - 120

E-Mail: [info@drweigert.de](mailto:info@drweigert.de)  
Internet: [www.drweigert.de](http://www.drweigert.de)

Die Angaben dieses Merkblattes beruhen auf unseren derzeitigen Kenntnissen und Erfahrungen. Sie befreien den Verwender nicht von eigenen Prüfungen und Versuchen. Eine rechtlich verbindliche Zusicherung bestimmter Eigenschaften kann hieraus nicht abgeleitet werden.

With the above information, which is appropriate to our current knowledge we describe our product regarding possible safety necessities, but we do not involve any quality description or promise certain properties.