

# neomoscan® G 15

Chain lubricant for the food industry - Liquid concentrate



## Fields of application:

neomoscan G 15 is used for lubricating conveyor belts in the food and beverages industry. neomoscan G 15 reliably supports the smooth transport of glass and PET-bottles as well as cans on stainless steel and plastic conveyor belts e.g. which are part of filling units.

## Properties:

neomoscan G 15 is based on a synergistic combination of fatty amine derivatives, complexing agents and non-ionic surfactants. It has the following properties:

- especially effective, very low application concentration
- low-foaming
- dispersing and wetting action
- excellent prevention of layers or residues
- impeccable lubrication
- high material compatibility and therefore minimization of wear and tear
- also suitable for high degrees of water hardness of up to 30 °German hardness

## Dosage:

neomoscan G 15 is used in the area of 0.1 to 0.3 % (w/w) depending on the respective application.

For professional use only!

Do not mix with other products.

Rinse out dosing system including suction hose with water before changing product.

Controlled, safe and economical application is ensured by our weigomatic® dosing systems. We are a specialist company in accordance with the German WHG (Water Conservation Act). Suited to the relevant conditions and requirements we plan, install and maintain central and distributed dosing units.

## Determining concentration:

A method for determination is available on request.

## Technical data:


Appearance:	yellowish liquid
Density (20 °C):	1.01 g/cm <sup>3</sup>
pH-value (1 % in deionised water):	approx. 6

## Ingredients:

Amines, non-ionic surfactants

## Storage information:

Always store at a temperature ranging between 0 and 30 °C.

Usable for 3 years when stored as recommended. For expiry date refer to the stamp mark on the label behind the hour glass symbol .

## Hazard and precautionary statements:

For safety information see EC safety data sheets. These are available at [www.drweigert.com](http://www.drweigert.com) under the category "Download".

Dispose only when container is empty and closed. For disposal of product residues, refer to the Material Safety Data Sheet.

MB 1599 GB/2-3  
Revision Date 11/2014



Chemische Fabrik Dr. Weigert GmbH & Co. KG  
Mühlenhagen 85, D – 20539 Hamburg

Telefon: (040) 789 60 -0  
Telefax: (040) 789 60 – 120

E-Mail: [info@drweigert.de](mailto:info@drweigert.de)  
Internet: [www.drweigert.de](http://www.drweigert.de)

Die Angaben dieses Merkblattes beruhen auf unseren derzeitigen Kenntnissen und Erfahrungen. Sie befreien den Verwender nicht von eigenen Prüfungen und Versuchen. Eine rechtlich verbindliche Zusicherung bestimmter Eigenschaften kann hieraus nicht abgeleitet werden.

With the above information, which is appropriate to our current knowledge we describe our product regarding possible safety necessities, but we do not involve any quality description or promise certain properties.