

# doscan RV 4

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 31.01.2019

Print date: 09.04.19

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

doscan RV 4

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Identified Uses

PC35

Washing and cleaning products (including solvent based products)

### 1.3. Details of the supplier of the safety data sheet

#### Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG  
Mühlenhagen 85  
D-20539 Hamburg  
Telephone no. +49 40 789 60 0  
Fax no. +49 40 789 60 120  
www.drweigert.com

#### E-mail address of person responsible for this SDS:

sida@drweigert.de

### 1.4. Emergency telephone number

GBK/ Infotrac: (USA domestic) +1 800 535 5053 or international +1 352 323 3500

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2

H319

### 2.2. Label elements

#### Labelling according to regulation (EC) No 1272/2008

#### Hazard pictograms



#### Signal word

Warning

#### Hazard statements

H319

Causes serious eye irritation.

#### Precautionary statements

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice/attention.

Dispose only when container is empty and closed. For disposal of product residues, refer to Safety Data Sheet.

# doscan RV 4

Version: 3 / GB

Replaces Version: 2 /  
GB

Date revised: 31.01.2019

Print date: 09.04.19

## 2.3. Other hazards

No special hazards have to be mentioned.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients

##### sodium cumenesulfonate

CAS No.	15763-76-5			
EINECS no.	239-854-6			
Registration no.	01-2119489411-37			
Concentration	$\geq 1$	<	10	%
Classification (Regulation (EC) No. 1272/2008)	Eye Irrit. 2		H319	

##### fatty alcohol, ethoxylated

CAS No.	146340-16-1			
EINECS no.	604-522-5			
Concentration	$\geq 1$	<	10	%
Classification (Regulation (EC) No. 1272/2008)	Skin Irrit. 2		H315	
	Aquatic Acute 1		H400	
	Aquatic Chronic 3		H412	

##### alkylpolyglycoside

CAS No.	68515-73-1			
EINECS no.	500-220-1			
Registration no.	01-2119488530-36			
Concentration	$\geq 1$	<	3	%
Classification (Regulation (EC) No. 1272/2008)	Eye Dam. 1		H318	

##### fatty alcohols, ethoxylated, propoxylated

CAS No.	68439-51-0			
Concentration	< 1			%
Classification (Regulation (EC) No. 1272/2008)	Aquatic Chronic 3		H412	

#### Other information

Complete text of hazard statements in chapter 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated, soaked clothing immediately and dispose of safely.

#### After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

#### After skin contact

After contact with skin, wash immediately with plenty of water. Consult a doctor if skin irritation persists.

#### After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. In case of

# doscan RV 4

Version: 3 / GB

Replaces Version: 2 /  
GB

Date revised: 31.01.2019

Print date: 09.04.19

irritation consult an oculist.

## After ingestion

Rinse mouth thoroughly with water.

## Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

## 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

## 4.3. Indication of any immediate medical attention and special treatment needed

### Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

#### Non suitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

#### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

#### Advice on protection against fire and explosion

# doscan RV 4

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 31.01.2019

Print date: 09.04.19

The product is not combustible.

## 7.2. Conditions for safe storage, including any incompatibilities

### Recommended storage temperature

Value > 0 < 30 °C

### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### Storage class according to TRGS 510

Storage class according to TRGS 510 12 Non-combustible liquids

## 7.3. Specific end use(s)

no data

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Other information

There are not known any further control parameters.

### 8.2. Exposure controls

#### General protective and hygiene measures

Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work.

#### Respiratory protection

Not necessary, but do not inhale vapours. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

#### Hand protection

Chemical resistant gloves

Use Permanent hand contact  
Appropriate Material neoprene

Material thickness  $\geq$  0,65 mm

Breakthrough time  $>$  480 min

Appropriate Material nitrile

Material thickness  $\geq$  0,4 mm

Breakthrough time  $>$  480 min

Appropriate Material butyl

Material thickness  $\geq$  0,7 mm

Breakthrough time  $>$  480 min

Use Short-term hand contact

Appropriate Material nitrile

Material thickness  $\geq$  0,11 mm

Hand protection must comply with EN 374.

#### Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

#### Body protection

Clothing as usual in the chemical industry.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Form liquid, clear

# doscan RV 4

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 31.01.2019

Print date: 09.04.19

<b>Colour</b>	brownish		
<b>Odour</b>	characteristic		
<b>Odour threshold</b>			
Remarks	not determined		
<b>pH value</b>			
Value	8,3		
Temperature	20	°C	
<b>Melting point</b>			
Remarks	not determined		
<b>Freezing point</b>			
Remarks	not determined		
<b>Initial boiling point and boiling range</b>			
Remarks	not determined		
<b>Flash point</b>			
Remarks	Not applicable		
<b>Evaporation rate (ether = 1) :</b>			
Remarks	not determined		
<b>Flammability (solid, gas)</b>			
evaluation	not determined		
<b>Upper/lower flammability or explosive limits</b>			
Remarks	Not applicable		
<b>Vapour pressure</b>			
Remarks	not determined		
<b>Vapour density</b>			
Remarks	not determined		
<b>Density</b>			
Value	1,17		g/cm <sup>3</sup>
Temperature	20	°C	
<b>Solubility in water</b>			
Remarks	miscible in all proportions		
<b>Solubility(ies)</b>			
Remarks	not determined		
<b>Partition coefficient: n-octanol/water</b>			
Remarks	not determined		
<b>Ignition temperature</b>			
Remarks	Not applicable		
<b>Decomposition temperature</b>			
Remarks	not determined		
<b>Viscosity</b>			
<b>dynamic</b>			
Value	< 10		mPa.s
Temperature	20	°C	
<b>Explosive properties</b>			
evaluation	not determined		
<b>Oxidising properties</b>			
evaluation	None known		

# doscan RV 4

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 31.01.2019

Print date: 09.04.19

## 9.2. Other information

### Other information

None known

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

### 10.2. Chemical stability

No hazardous reactions known.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

### 10.4. Conditions to avoid

No hazardous reactions known.

#### Decomposition temperature

Remarks not determined

### 10.5. Incompatible materials

None known

### 10.6. Hazardous decomposition products

Irritant gases/vapours

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute oral toxicity

Species	rat
LD50	> 2000 mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)

#### Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

#### Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

evaluation irritant

#### Sensitization

Remarks Based on available data, the classification criteria are not met.

#### Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

#### Mutagenicity

Remarks Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

#### Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

# doscan RV 4

Version: 3 / GB

Replaces Version: 2 /  
GB

Date revised: 31.01.2019

Print date: 09.04.19

## Specific Target Organ Toxicity (STOT)

Remarks Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Experience in practice

Inhalation may lead to irritation of the respiratory tract.

## Other information

There is no data available on the product apart from the information given in this subsection.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### General information

not determined

#### Fish toxicity (Components)

##### fatty alcohol, ethoxylated

Species	golden orfe ( <i>Leuciscus idus</i> )			
LC50	0,6			mg/l
Method	DIN 38412 / Part 15			

##### fatty alcohols, ethoxylated, propoxylated

Species	guppy ( <i>Poecilia reticulata</i> )			
LC50	1	to	10	mg/l
Duration of exposure	96	h		
Method	OECD 203			

#### Daphnia toxicity (Components)

##### fatty alcohol, ethoxylated

LC50	1,2			mg/l
Method	DIN 38412 / Part 11			

##### fatty alcohols, ethoxylated, propoxylated

Species	Daphnia magna			
EC50	1	to	10	mg/l
Duration of exposure	48	h		
Method	OECD 202			

#### Algae toxicity (Components)

##### fatty alcohols, ethoxylated, propoxylated

Species	Scenedesmus subspicatus			
EC50	1	to	10	mg/l
Duration of exposure	72	h		
Method	OECD 201			

#### Bacteria toxicity (Components)

##### fatty alcohols, ethoxylated, propoxylated

Species	Pseudomonas putida			
EC0	>	100		mg/l
Method	OECD 209			

### 12.2. Persistence and degradability

#### General information

not determined

### 12.3. Bioaccumulative potential

# doscan RV 4

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 31.01.2019

Print date: 09.04.19

## General information

not determined

## Partition coefficient: n-octanol/water

Remarks not determined

## 12.4. Mobility in soil

### General information

not determined

## 12.5. Results of PBT and vPvB assessment

### Evaluation of persistence and bioaccumulation potential

The product contains no PBT or vPvB substances.

## 12.6. Other adverse effects

### General information

not determined

### General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

#### Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

## SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	Non-dangerous goods	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.

### Information for all modes of transport

#### 14.6. Special precautions for user

See Sections 6 to 8

### Other information

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Ingredients (Regulation (EC) No 648/2004)



# doscan RV 4

Version: 3 / GB

Replaces Version: 2 /  
GB

Date revised: 31.01.2019

Print date: 09.04.19

## 5 % or over but less than 15 %:

non-ionic surfactants

### Water Hazard Class (Germany)

Water Hazard Class            WGK 1

(Germany)

Remarks                            Derivation of WGK according to Annex 1 No. 5.2 AwSV

### VOC

VOC (EU)                            0            %

### Other information

The product does not contain substances of very high concern (SVHC).

## 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Hazard statements listed in Chapter 3

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

### CLP categories listed in Chapter 3

Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Skin Irrit. 2	Skin irritation, Category 2

### Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses  
IMDG: International Maritime Code for Dangerous Goods  
ICAO: International Civil Aviation Organization  
IATA: International Air Transport Association  
IBC: Intermediate Bulk Container  
CAS: Chemical Abstracts Service  
VOC: Volatile Organic Compound  
LD: Lethal dose  
LC: Lethal concentration  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: Very persistent and very bioaccumulative  
SVHC: Substances of very high concern  
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)  
ISO: International Organization for Standardization  
OECD: Organisation for Economic Co-operation and Development  
IMO: International Maritime Organization  
UN: United Nations  
EU: European Union

### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

# doscan RV 4

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 31.01.2019

Print date: 09.04.19