

neodisher Alka 300 Print date: 12.07.23 Replaces Version: 3 / GB Date revised: 10.05.2023 Version: 4 / GB SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier neodisher Alka 300 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses PC35 Washing and cleaning products (including solvent based products) 1.3. Details of the supplier of the safety data sheet Address: Chemische Fabrik Dr. Weigert GmbH & Co. KG Mühlenhagen 85 D-20539 Hamburg Telephone no. +49 40 789 60 0 Fax no. +49 40 789 60 120 www.drweigert.com E-mail address of person responsible for this SDS: sida@drweigert.de 1.4. Emergency telephone number Emergency telephone number: 112 **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification (Regulation (EC) No. 1272/2008) Classification (Regulation (EC) No. 1272/2008) Met. Corr. 1 H290 Skin Corr. 1B H314 Eve Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16. 2.2. Label elements Labelling according to regulation (EC) No 1272/2008 Hazard pictograms Signal word Danger **Hazard statements** H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.



Version: 4 / GB

H410

Replaces Version: 3 / GB

Date revised: 10.05.2023

Print date: 12.07.23

Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor. Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains potassium hydroxide; potassium silicate; sodium hypochlorite, solution

Supplemental information

Further supplemental information

Contact with acids liberates toxic gas.

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

potassium	silicate
polassium	Sincale

potassium silicate				
CAS No.	1312-76-1			
EINECS no.	215-199-1			
Registration no.	01-2119456888-17			
Concentration	>= 10	<	25	%
Classification (Regulat	tion (EC) No. 1272/2008)			
	Met. Corr. 1	H290		
	Skin Corr. 1B	H314		
	Eye Dam. 1	H318		
sodium hypochlorite, s	solution			
CAS No.	7681-52-9			
EINECS no.	231-668-3			
Registration no.	01-2119488154-34			
Concentration	>= 2,5	<	10	%
Classification (Regulat	tion (EC) No. 1272/2008)			
	Met. Corr. 1	H290		
	Skin Corr. 1B	H314		
	Eye Dam. 1	H318		
	Aquatic Acute 1	H400		
	Aquatic Chronic 1	H410		
				
Concentration limits (F	Regulation (EC) No. 1272/ EUH	,	>= 5 %	
	Aquatic Acute 1		M = 10	
	Aquatic Chronic 1		M = 1	



neodisher Alka 300 Print date: 12.07.23 Replaces Version: 3 / GB Version: 4 / GB Date revised: 10.05.2023 Additional remarks: CI P Regulation (EC) No 1272/2008, Annex VI, Note B potassium hydroxide CAS No. 1310-58-3 EINECS no. 215-181-3 Registration no. 01-2119487136-33 Concentration 2 % >= 0.5 < Classification (Regulation (EC) No. 1272/2008) Met. Corr. 1 H290 H302 Route of exposure: oral Acute Tox. 4 Skin Corr. 1A H314 Eye Dam. 1 H318 Concentration limits (Regulation (EC) No. 1272/2008) Eve Irrit. 2 H319 >= 0.5 < 2 % Skin Corr. 1A H314 >= 5 % Skin Corr. 1B H314 >= 2 < 5 % Skin Irrit. 2 H315 >= 0.5 < 2 % Other information Complete text of hazard statements in chapter 16 SECTION 4: First aid measures 4.1. Description of first aid measures General information Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet. After inhalation Ensure supply of fresh air. When spray fog inhaled, seek medical aid. After skin contact After contact with skin, wash immediately with plenty of water. Take medical treatment. After eye contact In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately. After ingestion If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media



Version: 4 / GB

Replaces Version: 3 / GB

Date revised: 10.05.2023

Print date: 12.07.23

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

> -10 < 25 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage classes

Value

Storage class according to 8B Non-combustible corrosive hazardous substances TRGS 510

Further information on storage conditions

Protect from heat and direct sunlight. Do not keep the container sealed.

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection



Version: 4 / GB

Replaces Version: 3 / GB

Date revised: 10.05.2023

8.1. Control parameters

Exposure limit values

potassium hydroxide ...%

List	EH40	
Туре	WEL	
Short term exposure limit	2	mg/m³

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Short term: filter apparatus, combination filter B-P3

Hand protection

•			
Chemical resistant gloves			
Use	Perma	nent hand o	contact
Appropriate Material	neopre	ne	
Material thickness	>=	0,65	mm
Breakthrough time	>	480	min
Appropriate Material	nitrile		
Material thickness	>=	0,4	mm
Breakthrough time	>	480	min
Appropriate Material	butyl		
Material thickness	>=	0,7	mm
Breakthrough time	>	480	min
Use	Short-te	erm hand c	ontact
Appropriate Material	nitrile		
Material thickness	>=	0,11	mm
Hand protection must comply	/ with ⊏N	1100 274	

Hand protection must comply with EN ISO 374.

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties

9.1. Information on basic	physical and chemical pro	perties	
Physical state	liquid	-	
Colour	yellow		
Odour	characteristic		
Melting point			
Remarks	not determined		
Freezing point			
Remarks	not determined		
Boiling point or initial b	oiling point and boiling rang	e	
Value	appr. 100	°C	



Version: 4 / GB

Replaces Version: 3 / GB

Date revised: 10.05.2023

Print date: 12.07.23

Flammability					
evaluation	-	oplicable			
Upper and lower explosive lin					
Remarks	Not ap	oplicable			
Flash point					
Remarks	Not ap	oplicable			
Ignition temperature					
Remarks	Not ap	oplicable			
Decomposition temperature					
Remarks	not do	torminod			
Remarks	not de	termined			
pH value	000r	11			
Value Temperature	appr.	14 20	°C		
Viscosity			U		
-					
dynamic Value	<	50		mPa.s	
Temperature		20	°C		
Solubility(ies)					
Remarks	not de	termined			
Partition coefficient n-octanol	/water	[,] (log valu	le)		
Remarks	not de	termined			
Vapour pressure					
Remarks	not de	termined			
Density and/or relative densit	у				
Value		1,37		g/cm³	
Temperature		20	°C		
Relative vapour density					
Remarks	not de	termined			
9.2. Other information					
Odour threshold					
Remarks	not de	termined			
Evaporation rate (ether = 1) :					
Remarks	not de	etermined			
Solubility in water					
Remarks	miscib	ole in all pro	oportions		
Explosive properties					
evaluation	no				
Oxidising properties					
evaluation	None	known			
Other information					
None known					
SECTION 10: Stability and react	ivity				
10.1. Reactivity					



neodisher	Alka 300				
Version: 4 / GB	Replaces Versior	n: 3 / GB	Date revised: 10.0	5.2023	Print date: 12.07.23
No hazardous	reactions when store	d and handle	ed according to prescr	ibed instructio	ons.
10.2. Chemical st No hazardous	ability s reactions known.				
10.3. Possibility o No hazardous	of hazardous read	tions			
10.4. Conditions t Do not keep tl	to avoid he container sealed. F	Protect from h	eat and direct sunligh	ıt.	
10.5. Incompatibl			-		s. Corrodes
10.6. Hazardous o Chlorine, Irrita	decomposition pr ant gases/vapours	oducts			
SECTION 11: Toxic	cological informa	tion			
11.1 Information	on hazard classes	s as define	ed in Regulation	(EC) No 12	72/2008
Acute oral toxi			•	、	
ATE Method Remarks	> calcul		m Regulation (EC) No. 12 data, the classificatio		not met.
Acute oral toxi	icity (Components)	1			
potassium hyd	Iroxide%				
Species LD50	rat	333	m	ng/kg	
sodium hypocl Species LD50	hlorite, solution % rat	CI active 1100	m	ng/kg	
Acute dermal t	oxicity	1100		19/119	
Remarks	•	l on available	e data, the classification	on criteria are	not met.
Acute dermal t	toxicity (Componer	nts)			
sodium hypocl	hlorite, solution %	CI active			
Species	rabbit	20000			
LD50 Method	> OECE	20000) 402	r	ng/kg	
Acute inhalation					
Remarks	•	l on available	e data, the classification	on criteria are	not met.
Acute inhalativ	ve toxicity (Compo	nents)			
sodium hypocl Species	hlorite, solution… % rat	CI active			
LC50		10,5		ng/l	
Duration of ex Administration		1 s	h		
Method	OECE				
Skin corrosion	/irritation				
evaluation Remarks	corros The c	-	criteria are met.		
Serious eye da evaluation	amage/irritation corros	sive			



neodisher A	Alka 300		
Version: 4 / GB	Replaces Version: 3 / GB	Date revised: 10.05.2023	Print date: 12.07.23
Remarks	The classification	criteria are met.	
Sensitization			
Remarks	Based on availab	le data, the classification criteria	a are not met.
	hronic, chronic toxicity		
Remarks	Based on availab	le data, the classification criteria	a are not met.
Mutagenicity	Deced on evolution	la data tha alaasification oritari	a are not mat
Remarks		le data, the classification criteria	a are not met.
Reproductive to Remarks	-	le data, the classification criteria	are not met
Carcinogenicity			a are not met.
Remarks		le data, the classification criteria	a are not met
	Organ Toxicity (STOT)		
	• • • •		
Single exposu Remarks		le data, the classification criteria	a are not met.
Repeated expo Remarks		le data, the classification criteria	a are not met.
Aspiration haza Based on availa	rd able data, the classification crite	ria are not met.	
11.2 Information of	n other hazards		
The product do humans. Experience in p Inhalation may Other informatio	lead to irritation of the respirator on	has endocrine disrupting prope y tract.	
	a available on the product apart	from the mormation given in th	IS SUDSECTION.
SECTION 12: Ecolo	gical information		
12.1. Toxicity			
General informa	ation		
not determined			
Fish toxicity (Co	omponents)		
potassium hydro	oxide%		
Species	mosquito fish		
LC50	80	mg/l	
Duration of exp Source	osure 24 ECHA	h	
	orite, solution % Cl active		
Species		corhynchus mykiss)	
LC50	0,06	mg/l	
Duration of exp		h	
Daphnia toxicity	/ (Components)		
	orite, solution % Cl active		
Species	Daphnia magna		
EC50 Duration of exp	0,141 osure 48	mg/l h	



neodisher /	Alka 300			
Version: 4 / GB	Replaces Version: 3 / GB	Date revised:	10.05.2023	Print date: 12.07.23
Method	OECD 202			
Algae toxicity (Components)			
sodium hypoch EC50 Duration of ex Source	nlorite, solution % Cl active 0,0499 posure 7 Manufacturer's da	d ta	mg/l	
Bacteria toxicit	ty (Components)			
sodium hypoch Species EC50 Duration of ex Method	Norite, solution % Cl active activated sludge 77,1 posure 3 OECD 209	h	mg/l	
12.2. Persistence	and degradability			
General inform not determined	ation			
12.3. Bioaccumula General inform not determined Partition coeffi Remarks	ation	•		
12.4. Mobility in s	oil			
General inform not determined	ation			
12.5. Results of P	BT and vPvB assessment			
General inform not determined				
	and vPvB assessment ontains no PBT or vPvB substanc	es.		
12.6 Endocrine di	srupting properties			
1	upting properties with respe bes not contain a substance that l anisms.			with respect to
12.7. Other advers	se effects			
General inform not determined				
General inform	ation / ecology o enter soil, waterways or waste v	vater canal Avoid	d release into the at	mosnhere
	osal considerations			inosphere.
13.1. Waste treatn	nent methods			
	nmendations for the product			
EWC waste co EWC waste co EWC waste co	ode 18 01 06* che ode 20 01 15* alka	micals consisting alines ergents containin	ig dangerous subst	



Version: 4 / GB

Replaces Version: 3 / GB

Date revised: 10.05.2023

Print date: 12.07.23

understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging

Completely emptied packagings can be given for recycling. EWC waste code 15 01 10* packaging conta

15 01 10* packaging containing residues of or contaminated by dangerous substances

Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
14.1. UN number or ID number	1719	1719	1719
14.2. UN proper shipping name	CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, sodium hypochlorite, solution)	CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, sodium hypochlorite, solution)	CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, sodium hypochlorite, solution)
14.3. Transport hazard class(es)	8	8	8
Label	A Contraction of the second se	A Contraction of the second se	B B B B B B B B B B B B B B B B B B B
14.4. Packing group	111	111	ш
Limited Quantity	51	51	
Transport category	3		
14.5. Environmental hazards	ENVIRONMENTALLY HAZARDOUS	Marine Pollutant	ENVIRONMENTALLY HAZARDOUS

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7 Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information



neodisher <i>i</i>	ka 300						
ersion: 4 / GB	Replaces Versic	on: 3/GB	Date rev	/ised: 10.05	.2023	Print date:	12.07.2
15.1. Safety, healt or mixture	nd environm	ental regul	lations/le	egislation	specific f	or the sul	bstanc
Major-accident	egories acc. 2	2012/18/EU					
Category	E1 Haza	ardous to the A	Aquatic	100	tonne s	200	tonn s
Ingredients (Re	ation (EC) No	648/2004)					
15 % or over bu phosphates less than 5 %:	s than 30 %:						
chlorine-based	aching agents						
VOC							
VOC (EU)		0	%				
15.2. Chemical sa For this prepa	assessmen		ent has not	been carrie	d out.		
ECTION 16: Othe	ormation						
	Skin Corr. Eye Dam. Aquatic Act Aquatic Ch	1 ute 1 ronic 2	H314 H318 H400 H411				
Hazard statem		-					
H290 H302		be corrosive t					
H314		ses severe ski		nd eve dama	ae.		
H318		ses serious ey			50.		
H400		toxic to aquat			-		
H410 H411		toxic to aquat					
		c to aquatic life		lasting ellet	.15.		
CLP categories Acute Tox. 4	-	e toxicity, Cate					
Aquatic Acute		ardous to the a		vironment, a	cute, Catego	ry 1	
Aquatic Chron		ardous to the a	•				
Aquatic Chron		ardous to the a			nronic, Categ	ory 2	
Eye Dam. 1 Met. Corr. 1		ous eye damag stance or mixt			Category 1		
Skin Corr. 1A		corrosion, Ca			, category r		
Skin Corr. 1B		corrosion, Ca					
Abbreviations							
RID: Règleme	oncernant le trar	nsport internat	tional ferro				
			us Goods				
	Air Transport A						
VOC: Volatile	anic Compound						
LD: Lethal dos							
ADR: Accord o RID: Règleme IMDG: Interna ICAO: Internat IATA: Internat	oncernant le trar al Maritime Code I Civil Aviation C Air Transport A	nsport internat e for Dangerou Organization Association	tional fe	erro ds	erroviaire de mar ds	erroviaire de marchandises da ds	



Version: 4 / GB

Replaces Version: 3 / GB

Date revised: 10.05.2023

Print date: 12.07.23

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative SVHC: Substances of very high concern

UN: United Nations

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.