

neodisher P	rotech 9			
Version: 2 / GB	Replaces Version: 1 / GB	Date revised:	18.02.2020	Print date: 20.01.23
SECTION 1: Identific	ation of the substance/n	nixture and of	f the compar	ny/undertaking
1.1. Product identifi neodisher Protec				
1.2. Relevant identif Identified Uses PC35	ied uses of the substan Washing and cleaning p			-
	upplier of the safety data		j solvent based	products
Address:				
Chemische Fabri Mühlenhagen 85 D-20539 Hambu Telephone no. Fax no. www.drweigert.co	^{rg} +49 40 789 60 0 +49 40 789 60 120			
-	of person responsible for thi	s SDS:		
1.4. Emergency tele Emergency telep	phone number hone number: 112			
SECTION 2: Hazards	identification			
Classification (Re	f the substance or mixtue egulation (EC) No. 1272/20 egulation (EC) No. 1272/2008) Met. Corr. 1 Skin Corr. 1B Eye Dam. 1			
2.2. Label elements				
Labelling accor	ding to regulation (EC)	No 1272/2008		
Hazard pictogram	าร			
Signal word Danger				
Hazard statement				
H290 H314	May be corrosive to meta Causes severe skin burr		ae.	
Precautionary sta			<u> </u>	
P280 P303+P361+P35	Wear protective gloves/p			



ieod	lisher Pr						
ersion: 2	2 / GB	Replaces Version: 1 / GE	3 [Date	revised:	18.02.2020	Print date: 20.01.2
F	P305+P351+P338		autious				es. Remove contact
F	P310	lenses, if present and Immediately call a Po Dispose only when c residues, refer to saf	OISON containe	CEN r is e	ITER or c mpty and	loctor.	posal of product
	zardous compo contains	nent(s) to be indicated disodium metasilicat	d on la	bel	(Regula	• •	1272/2008)
1 - r (The product conta not contain a subs	s have to be mentioned. ins no PBT substances. T tance that has endocrine substance that has endo	disrupti	ng pi	operties	with respect to h	numan. The product
		tion/information on	ingrec	lien	ts		
3. 2 . Mix	ktures						
Haz	zardous ingredi	ients					
	tty alcohols, alko						
	CAS No. Concentration	68213-24-1	<		1	%	
		gulation (EC) No. 1272/20 Aquatic Acute 1	,	400			
C E F C	CAS No. EINECS no. Registration no. Concentration	monium chloride 5538-94-3 226-901-0 01-2120767055-53 gulation (EC) No. 1272/20 Acute Tox. 3 Acute Tox. 2 Skin Corr. 1B	H3 H3 H3	301 310 314	1	% Route of exp Route of exp	oosure: oral oosure: dermal
		Eye Dam. 1 Aquatic Acute 1 Aquatic Chronic 1	H4	318 400 410			
(Concentration limi	ts (Regulation (EC) No. 12 Aquatic Acute 1	272/200	,	VI = 10		
(E F (sodium metasilic CAS No. EINECS no. Registration no. Concentration Classification (Reg	eate 6834-92-0 229-912-9 01-2119449811-37 >= 10 gulation (EC) No. 1272/20 Skin Corr. 1B STOT SE 3	H	314 335	25	%	
- (E F	tassium hydroxi CAS No. EINECS no. Registration no. Concentration	de 1310-58-3 215-181-3 01-2119487136-33	<		1	%	



Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 18.02.2020

Print date: 20.01.23

Classification (Regulation (EC) No. 1272/2008)	
Met. Corr. 1	H290
Acute Tox. 4	H302

Skin Corr. 1A

Eve Dam. 1

Route of exposure: oral

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

H314

H318

After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid.

After skin contact

After contact with skin, wash immediately with plenty of water. Take medical treatment.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.



neodisher	Protech 9		
Version: 2 / GB	Replaces Version: 1 / GB	Date revised: 18.02.2020	Print date: 20.01.23
	tion minated fire-fighting water separa nated fire-fighting water must be d		
SECTION 6: Accid	lental release measures		
	cautions, protective equip t with skin, eyes and clothing. Ref		
6.2. Environment Do not discha	t al precautions arge into the drains/surface waters	s/groundwater.	
	I material for containment absorbent material. Dispose of ab		ith the regulations.
6.4. Reference to Refer to prote	other sections ective measures listed in Sections	5 7 and 8.	
SECTION 7: Hand	ling and storage		
7.1. Precautions	for safe handling		
Advice on safe Avoid formation closed.	e handling on of aerosols. Observe the usual	precautions for handling chemic	als. Keep container tightly
	tection against fire and exploits not combustible.	osion	
7.2. Conditions for	or safe storage, including	any incompatibilities	
Recommende Value	d storage temperature > -15	< 30 °C	
Requirements Keep in origir	for storage rooms and vess nal packaging, tightly closed. Stor nust be carefully resealed and kep	els age rooms must be properly ven	tilated. Containers which
Storage class Storage class TRGS 510		Non-combustible corrosive hazar	dous substances
7.3. Specific end	use(s)		
SECTION 8: Expo	sure controls/personal pro	otection	
8.1. Control para	meters		
Other informa There are not	tion t known any further control param	ieters.	
8.2. Exposure co	ntrols		
Hold eye was gases/vapour	ctive and hygiene measures of fountain available. Hold emerge rs/aerosols. Avoid contact with sk before breaks and after work. Cle	in and eyes. Do not eat, drink or	smoke during work time.
Respiratory pi If workplace I Particle filter	imits are exceeded, a respiratory	protection approved for this part	icular job must be worn.



sion: 2/GB	Replaces V	ersion: 1 / GB	Date revised:	18.02.2020	Print date: 20.01.2
Hand protection	on				
Chemical res	istant gloves				
Use		Permanent hand	contact		
Appropriate N		neoprene			
Material thick		>= 0,65	mm		
Breakthrough		> 480	min		
Appropriate N Material thick		nitrile >= 0,4	mm		
Breakthrough		> 480	min		
Appropriate N		butyl			
Material thick		>= 0,7	mm		
Breakthrough		> 480	min		
Use		Short-term hand	contact		
Appropriate N		nitrile			
Material thick		>= 0,11	mm		
	ion must comply	WIT EN 374.			
Eye protection					
Safety glasse	es with side prote	ction shield; Eye	protection must co	mply with EN 16	6.
Body protection	on				
Clothing as u	sual in the chem	ical industry. Pro	tective shoes		
CTION 9: Physi	ical and chon	nical proporti	06		
Physical state		liquid	mical propertie	S	
			mical propertie	S	
Physical state Colour		liquid light yellow	mical propertie	S	
Physical state Colour Odour		liquid light yellow		S	
Physical state Colour Odour Melting point Remarks	•	liquid light yellow characteristic		S	
Physical state Colour Odour Melting point Remarks Freezing poin	•	liquid light yellow characteristic not determine	d	S	
Physical state Colour Odour Melting point Remarks Freezing poin Remarks	t	liquid light yellow characteristic not determine not determine	d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of	•	liquid light yellow characteristic not determine not determine g point and bo	d d iling range	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks	t	liquid light yellow characteristic not determine not determine	d d iling range	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability	t	liquid light yellow characteristic not determine not determine g point and bo not determine	d d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation	t or initial boilin	liquid light yellow characteristic not determine not determine g point and bo not determine Not applicable	d d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point Remarks Flammability evaluation Upper and low	t	liquid light yellow characteristic not determine not determine g point and bo not determine Not applicable imits	d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation	t or initial boilin	liquid light yellow characteristic not determine not determine g point and bo not determine Not applicable	d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point Remarks Flammability evaluation Upper and low	t or initial boilin	liquid light yellow characteristic not determine not determine g point and bo not determine Not applicable imits	d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks	t or initial boilin	liquid light yellow characteristic not determine not determine g point and bo not determine Not applicable imits	d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks	t or initial boilin ver explosive l	liquid light yellow characteristic not determine not determine g point and bo not determine Not applicable imits Not applicable	d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point Remarks Flammability evaluation Upper and low Remarks Flash point	t or initial boilin ver explosive l	liquid light yellow characteristic not determine not determine g point and bo not determine Not applicable Not applicable	d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition temper Remarks	t or initial boilin ver explosive l erature	liquid light yellow characteristic not determine not determine g point and bo not determine Not applicable Not applicable Not applicable	d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition temper Remarks Decomposition	t or initial boilin ver explosive l	liquid light yellow characteristic not determine not determine g point and bo not determine Not applicable Not applicable Not applicable	d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition temper Remarks	t or initial boilin ver explosive l erature	liquid light yellow characteristic not determine not determine g point and bo not determine Not applicable Not applicable Not applicable	d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition tempor Remarks Decompositio Remarks Remarks	t or initial boilin ver explosive l erature	liquid light yellow characteristic not determine not determine g point and bo not determine Not applicable Not applicable Not applicable	d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition tempor Remarks Decompositio Remarks Remarks PH value	t or initial boilin ver explosive l erature	liquid light yellow characteristic not determine not determine g point and bo not determine Not applicable Not applicable Not applicable Not applicable	d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition temper Remarks Decomposition Remarks Remarks PH value Value	t or initial boilin ver explosive l erature on temperature	liquid light yellow characteristic not determine g point and bo not determine Not applicable Not applicable Not applicable Not applicable Not applicable	d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition tempor Remarks Decomposition Remarks Remarks Ph value Value Temperature	t or initial boilin ver explosive l erature on temperature	liquid light yellow characteristic not determine not determine g point and bo not determine Not applicable Not applicable Not applicable Not applicable	d iling range d	S	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition temper Remarks Decomposition Remarks Remarks PH value Value	t or initial boilin ver explosive l erature on temperature	liquid light yellow characteristic not determine g point and bo not determine Not applicable Not applicable Not applicable Not applicable Not applicable	d iling range d	S	



neodisher Protech 9 Print date: 20.01.23 Replaces Version: 1 / GB Date revised: 18.02.2020 Version: 2/GB Value < 50 mPa.s Temperature 20 °C Solubility(ies) Remarks not determined Partition coefficient n-octanol/water (log value) not determined Remarks Vapour pressure Remarks not determined Density and/or relative density Value 1.44 g/cm³ Temperature 20 °C **Relative vapour density** Remarks not determined 9.2. Other information **Odour threshold** Remarks not determined Evaporation rate (ether = 1) : Remarks not determined Solubility in water Remarks miscible in all proportions **Explosive properties** evaluation no **Oxidising properties** evaluation None known Other information None known **SECTION 10: Stability and reactivity** 10.1. Reactivity No hazardous reactions when stored and handled according to prescribed instructions. 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous reactions No hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known. 10.5. Incompatible materials Corrodes aluminium. Strong exothermic reaction with acids. 10.6. Hazardous decomposition products No hazardous decomposition products known. **SECTION 11: Toxicological information** 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute oral toxicity



neodisher	Protech 9				
Version: 2 / GB	Replaces Version	: 1/GB	Date revised:	18.02.2020	Print date: 20.01.23
Species LD50 Method	rat > calcula	2000 ated value (Regulation (EC)	mg/kg No. 1272/2008)	
Acute oral toxi	city (Components)				
disodium meta Species LD50	silicate rat	1150		mg/kg	
dimethyldiocty Species LD50	lammonium chloride rat	720		mg/kg	
Acute dermal t	oxicity				
Remarks	Based	on availabl	e data, the classi	fication criteria a	are not met.
Acute dermal t	oxicity (Componen	ts)			
disodium meta Species LD50	rat >	5000		mg/kg	
Acute inhalation	•			_	
Remarks	Based	on availabl	e data, the classi	fication criteria a	are not met.
Skin corrosion evaluation	/ irritation	ive			
•	mage/irritation				
evaluation	corros	ive			
Sensitization Remarks	Based	on availabl	e data, the classi	fication criteria a	are not met.
Subacute, sub Remarks	chronic, chronic to Based	-	e data, the classi	fication criteria a	are not met.
Mutagenicity					
Remarks	Based	on availabl	e data, the classi	fication criteria a	are not met.
Reproductive t Remarks	•	on availabl	e data, the classi	fication criteria a	are not met.
Carcinogenicit	у				
Remarks	Based	on availabl	e data, the classi	fication criteria a	are not met.
Specific Targe	t Organ Toxicity (S	ΤΟΤ)			
Single expos	ure				
Remarks Repeated exp	Based	on availabl	e data, the classi	fication criteria a	are not met.
Remarks	Based	on availabl	e data, the classi	fication criteria a	are not met.
Aspiration haz Based on ava	ard ilable data, the classifi	cation criter	ia are not met.		
11.2 Information	on other hazards				
	rupting properties votes not contain a subs	-		srupting propertion	es with respect to
Experience in Inhalation may Other informat	y lead to irritation of the	e respirator	y tract.		



neodisher Pro	otech 9			
Version: 2 / GB	Replaces Version: 1 / GB	Date revised:	18.02.2020	Print date: 20.01.23
There is no data ava	ailable on the product apart	from the informa	tion given in this s	ubsection.
SECTION 12: Ecologica	al information			
12.1. Toxicity				
General informatior not determined	1			
Fish toxicity (Comp	onents)			
disodium metasilica	te			
Species LC50 Duration of overcourt	zebra fish (Brach 210 e 96		mg/l	
Duration of exposur	e 90 sylated, propoxylated	h		
Species	guppy (Poecilia r	eticulata)		
LC50	1	to 10	mg/l	
Duration of exposur Method	e 96 OECD 203	h		
Daphnia toxicity (Co	omponents)			
Species	ylated, propoxylated Daphnia magna			
EC50 Duration of exposur	e 48	to 10 h	mg/l	
Method	OECD 202	11		
Algae toxicity (Com	ponents)			
fatty alcohols, ethox	ylated, propoxylated			
Species	Scenedesmus su		~~~~~/l	
EC50 Duration of exposur	e 72	to 10 h	mg/l	
Method	OECD 201			
Bacteria toxicity (Co	omponents)			
disodium metasilica				
Species EC50	activated sludge > 100		mg/l	
Duration of exposur		h		
Species	ylated, propoxylated Pseudomonas pu	ıtida		
EC0 Method	> 100 OECD 209		mg/l	
12.2. Persistence and	degradability			
General informatior not determined	• •			
12.3. Bioaccumulative	notontial			
General information	•			
	n ootonol/water (lea v	alua)		
Remarks	not determine : not determine	•		
12.4. Mobility in soil				
General information	ı			



Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 18.02.2020

Print date: 20.01.23

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT or vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code18 01 06*
20 01 29*chemicals consisting of or containing dangerous substances
detergents containing dangerous substancesThe listed waste code numbers, according to the European Waste Catalogue (EWC), are to be
understood as a recommendation. A final decision must be made in agreement with the regional waste
disposal company.

Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging Completely emptied packagings can be given for recycling.

15 01 10* packaging containing residues of or contaminated by

dangerous substances

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

EWC waste code



Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 18.02.2020

Print date: 20.01.23

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		18 Alkalis	
14.1. UN number or ID number	1719	1719	1719
14.2. UN proper shipping name	CAUSTIC ALKALI LIQUID, N.O.S. (disodium metasilicate, potassium hydroxide)	CAUSTIC ALKALI LIQUID, N.O.S. (disodium metasilicate, potassium hydroxide)	CAUSTIC ALKALI LIQUID, N.O.S. (disodium metasilicate, potassium hydroxide)
14.3. Transport hazard class(es)	8	8	8
Label	(Jed)	R R R R R R R R R R R R R R R R R R R	A A A A A A A A A A A A A A A A A A A
14.4. Packing group	III		III
Limited Quantity	51	51	
Transport category	3		
14.5. Environmental hazards		no	

Information for all modes of transport

14.6. Special precautions for user See Sections 6 to 8

Other information

14.7 Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

15 % or over but less than 30 %: ***
phosphates
less than 5 %: ***
amphoteric surfactants, non-ionic surfactants, cationic surfactants

VOC ***

VOC (EU)

%

0

Other regulations, restrictions and prohibition regulations

Observe employment restrictions for young people.

Other information ***



neodisher P	rotech 9			
Version: 2 / GB	Replaces Version: 1 / GB	Date revised:	18.02.2020	Print date: 20.01.23
The product doe	es not contain substances of ver	y high concern (SVHC).	
15.2. Chemical safe For this prepara	ety assessment tion a chemical safety assessm	ent has not been	carried out.	
SECTION 16: Other	information			
Regulation (EC)	d procedure used to derive 1272/2008 [CLP]: regulation (EC) No. 1272/2008)	e the classifica	ation for mixtur	es according to
Ň	Met. Corr. 1 Skin Corr. 1B Eye Dam. 1	H290 H314 H318		
Hazard statemer	nts listed in Chapter 2/3			
H290 H301 H302 H310 H314 H318 H335 H400 H410	May be corrosive Toxic if swallowed Harmful if swallow Fatal in contact w Causes severe sk Causes serious e May cause respira Very toxic to aqua Very toxic to aqua	l. /ed. ith skin. iin burns and eye ye damage. atory irritation. tic life.	Ū	
CLP categories I	isted in Chapter 2/3			
Acute Tox. 2 Acute Tox. 3 Acute Tox. 4 Aquatic Acute 1 Aquatic Chronic Eye Dam. 1 Met. Corr. 1 Skin Corr. 1A Skin Corr. 1B STOT SE 3	Acute toxicity, Cat Acute toxicity, Cat Acute toxicity, Cat Hazardous to the Hazardous to the Serious eye dama Substance or mixt Skin corrosion, Ca Specific target or	tegory 3 tegory 4 aquatic environm age, Category 1 ture corrosive to ategory 1A ategory 1B	nent, chronic, Cate	egory 1 1
Abbreviations				
RID: Règlement IMDG: Internation ICAO: Internation VOC: Volatile O LD: Lethal dose LC: Lethal concer PBT: Persistent, vPvB: Very pers SVHC: Substant MARPOL 73/78: the Protocol of 1 IBC: Intermediat	ropéen relatif au transport interna concernant le transport interna onal Maritime Code for Dangero nal Civil Aviation Organization nal Air Transport Association rganic Compound entration Bioaccumulative and Toxic istent and very bioaccumulative ces of very high concern International Convention for the 978 (MARPOL: Marine Pollutio te Bulk Container Abstracts Service	tional ferroviaire us Goods e Prevention of P	de marchandises	dangereuses
ISO: Internation OEL: Occupatio OECD: Organis UN: United Natio	al Organization for Standardizat nal exposure limit ation for Economic Co-operatior		ent	



Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 18.02.2020

Print date: 20.01.23

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.