

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neodisher Septo Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

PC35 disinfectants
 Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Chemische Fabrik Dr. Weigert GmbH & Co. KG
Mühlenhagen 85
D-20539 Hamburg
Telephone no. +49 40 789 60 0
Fax no. +49 40 789 60 120
E-mail address of
person responsible sida@drweigert.de
for this SDS

1.4. Emergency telephone number

Emergency telephone number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Corr. 1B	H314
Eye Dam. 1	H318
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H314	Causes severe skin burns and eye damage.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statements

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor.
	Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains	N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate; isotridecanol, ethoxylated
----------	--

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

CAS No.	94667-33-1
EINECS no.	619-057-3
Registration no.	01-2119950327-36
Concentration	>= 10 < 25 %
Classification (Regulation (EC) No. 1272/2008)	
	Acute Tox. 4 H302
	Skin Corr. 1B H314
	Eye Dam. 1 H318
	Aquatic Acute 1 H400
	Aquatic Chronic 1 H410

Concentration limits (Regulation (EC) No. 1272/2008)

	Aquatic Acute 1	M = 10
	Aquatic Chronic 1	M = 1
ATE	oral	1.157 mg/kg

ethanediol

CAS No.	107-21-1
EINECS no.	203-473-3
Registration no.	01-2119456816-28
Concentration	>= 1 < 10 %
Classification (Regulation (EC) No. 1272/2008)	
	Acute Tox. 4 H302
	STOT RE 2 H373
	Route of exposure: oral

cATpE	oral	500 mg/kg
-------	------	-----------

2-(2-butoxyethoxy)ethanol

CAS No.	112-34-5
EINECS no.	203-961-6
Registration no.	01-2119475104-44
Concentration	>= 1 < 10 %

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

Classification (Regulation (EC) No. 1272/2008)
Eye Irrit. 2 H319

propan-2-ol

CAS No. 67-63-0
EINECS no. 200-661-7
Registration no. 01-2119457558-25
Concentration ≥ 1 < 10 %
Classification (Regulation (EC) No. 1272/2008)
Flam. Liq. 2 H225
Eye Irrit. 2 H319
STOT SE 3 H336

isotridecanol, ethoxylated

CAS No. 69011-36-5
Concentration ≥ 1 < 10 %
Classification (Regulation (EC) No. 1272/2008)
Acute Tox. 4 H302 Route of exposure: oral
Eye Dam. 1 H318

ATE oral 300 mg/kg

fatty alcohols, alkoxylated

CAS No. 120313-48-6
Concentration ≥ 1 < 10 %
Classification (Regulation (EC) No. 1272/2008)
Skin Irrit. 2 H315
Aquatic Acute 1 H400
Aquatic Chronic 3 H412

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid.

After skin contact

After contact with skin, wash immediately with plenty of water. Take medical treatment.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 0 < 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

are opened must be carefully resealed and kept upright to prevent leakage.

Storage classes

Storage class according to TRGS 510 8A Combustible corrosive hazardous substances

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection ***

8.1. Control parameters

Exposure limit values ***

ethanediol

List EH40
Type WEL
Value 10 mg/m³
Skin resorption / sensibilisation: Sk; Remarks: Sk

ethanediol

List IOELV
Type IOELV
Value 52 mg/m³ 20 ppm(V)
Short term exposure limit 104 mg/m³ 40 ppm(V)
Skin resorption / sensibilisation: Sk; Remarks: Skin

propan-2-ol

List EH40
Type WEL
Value 999 mg/m³ 400 ppm(V)
Short term exposure limit 1250 mg/m³ 500 ppm(V)

2-(2-butoxyethoxy)ethanol

List EH40
Type WEL
Value 67.5 mg/m³ 10 ppm(V)
Short term exposure limit 101.2 mg/m³ 15 ppm(V)

2-(2-butoxyethoxy)ethanol

List IOELV
Type IOELV
Value 67,5 mg/m³ 10 ppm(V)
Short term exposure limit 101,2 mg/m³ 15 ppm(V)

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.
Particle filter P2

Hand protection

Chemical resistant gloves
Use Permanent hand contact
Appropriate Material neoprene

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

Material thickness	>=	0,65	mm
Breakthrough time	>	480	min
Appropriate Material	nitrile		
Material thickness	>=	0,4	mm
Breakthrough time	>	480	min
Appropriate Material	butyl		
Material thickness	>=	0,7	mm
Breakthrough time	>	480	min
Use	Short-term hand contact		
Appropriate Material	nitrile		
Material thickness	>=	0,11	mm
Hand protection must comply with EN 374.			

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid, clear
Colour	colourless to yellowish
Odour	characteristic

Melting point

Remarks	not determined
---------	----------------

Freezing point

Remarks	not determined
---------	----------------

Boiling point or initial boiling point and boiling range

Remarks	not determined
---------	----------------

Flammability

evaluation	Not applicable
------------	----------------

Upper and lower explosive limits

Remarks	not determined
---------	----------------

Flash point

Value	54	°C
Method	c.c.	
Remarks	Negative results are obtained in the sustained combustibility test (UN test L.2).	

Auto-ignition temperature

Remarks	not determined
---------	----------------

Decomposition temperature

Remarks	not determined
Remarks	

pH value

Value	appr. 6,5	°C
Temperature	20	

Viscosity

dynamic

Value	< 50	mPa.s
Temperature	20	

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value 1,00 g/cm³
Temperature 20 °C

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks miscible in all proportions

Explosive properties

evaluation no

Oxidising properties

evaluation None known

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE > 2000 mg/kg
Method calculated value (Regulation (EC) No. 1272/2008)

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species	rat		
LD50	1157		mg/kg
Method	OECD 401		

propan-2-ol

Species	rat		
LD50	5840		mg/kg
Method	OECD 401		

isotridecanol, ethoxylated

Species	rat		
LD50	> 300 to 2000		mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

propan-2-ol

Species	rabbit		
LD50	13900		mg/kg
Method	OECD 402		

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)

propan-2-ol

Species	rat		
LC50	> 25		mg/l
Duration of exposure	6	h	
Administration/Form	Vapors		
Method	OECD 403		

Skin corrosion/irritation

evaluation	corrosive
Remarks	The classification criteria are met.

Skin corrosion/irritation (Components)

isotridecanol, ethoxylated

Species	rabbit
evaluation	non-irritant

Serious eye damage/irritation

evaluation	corrosive
Remarks	The classification criteria are met.

Serious eye damage/irritation (Components)

isotridecanol, ethoxylated

Species	rabbit
evaluation	irritant - risk of serious damage to eyes

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species	zebra fish (Brachydanio rerio)			
LC50	0,78			mg/l
Duration of exposure	96	h		
Method	OECD 203			

isotridecanol, ethoxylated

Species	carp (Cyprinus carpio)			
LC50	> 1	to 10		mg/l
Duration of exposure	96	h		
Method	OECD 203			

propan-2-ol

Species	Fathead minnow (Pimephales promelas)			
LC50	9640			mg/l
Duration of exposure	96	h		

fatty alcohols, alkoxyated

Species	golden orfe (Leuciscus idus)			
LC50	> 1	to 10		mg/l
Duration of exposure	96	h		

Daphnia toxicity (Components)

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species	Daphnia magna			
EC50	0,07			mg/l

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

Duration of exposure 48 h
Method OECD 202

isotridecanol, ethoxylated

Species Daphnia magna
EC50 > 1 to 10 mg/l
Duration of exposure 48 h
Method OECD 202

propan-2-ol

Species Daphnia magna
LC50 appr. 10000 mg/l
Duration of exposure 48 h

fatty alcohols, alkoxylated

Species Daphnia magna
EC50 > 0,1 to 1 mg/l
Duration of exposure 48 h
Method OECD 202

Algae toxicity (Components)

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species Scenedesmus subspicatus
EbC50 0,15 mg/l
Duration of exposure 72 h
Method OECD 201

isotridecanol, ethoxylated

Species Scenedesmus subspicatus
EC50 > 1 to 10 mg/l
Duration of exposure 72 h
Method OECD 201

propan-2-ol

Species Scenedesmus subspicatus
IC50 > 1000 mg/l
Duration of exposure 72 h

fatty alcohols, alkoxylated

Species Scenedesmus subspicatus
EC50 > 0,1 to 1 mg/l
Duration of exposure 72 h
Method OECD 201

Bacteria toxicity (Components)

N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate

Species activated sludge
EC50 16,8 mg/l
Duration of exposure 3 h
Method OECD 209

isotridecanol, ethoxylated

Species activated sludge
EC50 140 mg/l

propan-2-ol

Species activated sludge
EC50 > 100 mg/l

12.2. Persistence and degradability

General information

not determined

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

Biodegradability (Components)

isotridecanol, ethoxylated
evaluation

Readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks

not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code 18 01 06* chemicals consisting of or containing dangerous substances

EWC waste code 20 01 29* detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging

Completely emptied packagings can be given for recycling.

EWC waste code 15 01 10* packaging containing residues of or contaminated by dangerous substances

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		0 Not applicable	
14.1. UN number or ID number	1903	1903	1903
14.2. UN proper shipping name	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate)	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N,N-didecyl-N-methyl-poly(oxyethyl)ammonium propionate)
14.3. Transport hazard class(es)	8	8	8
Label			
14.4. Packing group	III	III	III
Limited Quantity	5 I	5 I	
Transport category	3		
14.5. Environmental hazards	 ENVIRONMENTALLY HAZARDOUS	Marine Pollutant  ENVIRONMENTALLY HAZARDOUS	 ENVIRONMENTALLY HAZARDOUS

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Major-accident categories acc. 2012/18/EU

Category	E1	Hazardous to the Aquatic Environment	100	tonne s	200	tonne s
----------	----	--------------------------------------	-----	---------	-----	---------

Ingredients (Regulation (EC) No 648/2004)

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

less than 5 %:

non-ionic surfactants

Further ingredients

disinfectants

VOC

VOC (EU) 0 %

Other regulations, restrictions and prohibition regulations

Observe employment restrictions for young people.

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Hazard statements listed in Chapter 2/3

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Flam. Liq. 2	Flammable liquid, Category 2
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Skin irritation, Category 2
STOT RE 2	Specific target organ toxicity - repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
IMDG: International Maritime Code for Dangerous Goods
ICAO: International Civil Aviation Organization

neodisher Septo Plus

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 26.04.2024

Print date: 07.08.24

IATA: International Air Transport Association

VOC: Volatile Organic Compound

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)

IBC: Intermediate Bulk Container

CAS: Chemical Abstracts Service

ISO: International Organization for Standardization

OEL: Occupational exposure limit

OECD: Organisation for Economic Co-operation and Development

UN: United Nations

IMO: International Maritime Organization

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.