

Version: 3 / GB Replaces Version: 2 / GB Date revised: 19.10.2022 Print date: 20.01.23

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

neodisher floor active

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses

PC35 Washing and cleaning products (including solvent based products)

# 1.3. Details of the supplier of the safety data sheet

#### Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG

Mühlenhagen 85 D-20539 Hamburg

Telephone no. +49 40 789 60 0 Fax no. +49 40 789 60 120

www.drweigert.com

# E-mail address of person responsible for this SDS:

sida@drweigert.de

# 1.4. Emergency telephone number

Emergency telephone number: 112

#### SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

# Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1 H290 Skin Corr. 1A H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008 For explanation of abbreviations see section 16.

#### 2.2. Label elements

# Labelling according to regulation (EC) No 1272/2008

# **Hazard pictograms**



#### Signal word

Danger

#### **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.



Version: 3 / GB Replaces Version: 2 / GB Date revised: 19.10.2022 Print date: 20.01.23

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

Dispose only when container is empty and closed. For disposal of product

residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains potassium hydroxide; sodium hypochlorite, solution; C12-C14 alkyldimethylamine

oxide

Supplemental information

**Further supplemental information** 

Contact with acids liberates toxic gas.

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

# **Hazardous ingredients**

potassium hydroxide

CAS No. 1310-58-3 EINECS no. 215-181-3

Registration no. 01-2119487136-33

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1 H290

Acute Tox. 4 H302 Route of exposure: oral

Skin Corr. 1A H314 Eye Dam. 1 H318

fatty acids, potassium salts

CAS No. 13040-18-1 EINECS no. 235-910-9

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2 H315 Eye Irrit. 2 H319

sodium hypochlorite, solution

CAS No. 7681-52-9 EINECS no. 231-668-3

Registration no. 01-2119488154-34

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)



Route of exposure: oral

# neodisher floor active

Version: 3 / GB Replaces Version: 2 / GB Date revised: 19.10.2022 Print date: 20.01.23

Met. Corr. 1 H290
Skin Corr. 1B H314
Eye Dam. 1 H318
Aquatic Acute 1 H400
Aquatic Chronic 1 H410

Concentration limits (Regulation (EC) No. 1272/2008)

EUH031 >= 5 %

Aquatic Acute 1 M = 10Aquatic Chronic 1 M = 1

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note B

C12-C14 alkyldimethylamine oxide

CAS No. 308062-28-4 EINECS no. 931-292-6

Registration no. 01-2119490061-47

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411

### Other information

Complete text of hazard statements in chapter 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

#### After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid.

#### After skin contact

After contact with skin, wash immediately with plenty of water. Take medical treatment.

#### After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

#### After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

# Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

# 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

# 4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to



Version: 3 / GB Replaces Version: 2 / GB Date revised: 19.10.2022 Print date: 20.01.23

chemical pneumonia or asphyxiation.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

# Non suitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

# 5.3. Advice for firefighters

# Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

#### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

# 6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

# Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

# Advice on protection against fire and explosion

The product is not combustible.

# 7.2. Conditions for safe storage, including any incompatibilities

# Recommended storage temperature

Value > 0 < 25 °C

### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### Storage classes

Storage class according to 8B Non-combustible corrosive hazardous substances TRGS 510

# Further information on storage conditions



Print date: 20.01.23 Replaces Version: 2 / GB Date revised: 19.10.2022 Version: 3 / GB

Protect from heat and direct sunlight. Do not keep the container sealed.

# 7.3. Specific end use(s)

no data

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### Other information

There are not known any further control parameters.

### 8.2. Exposure controls

# General protective and hygiene measures

Hold eve wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

### Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Short term: filter apparatus, combination filter B-P3

mm

# **Hand protection**

Chemical resistant gloves Permanent hand contact Appropriate Material neoprene Material thickness >= 0.65

Breakthrough time 480 min Appropriate Material nitrile Material thickness 0,4 >= mm

Breakthrough time 480 min Appropriate Material butyl 0.7 Material thickness >= mm

Breakthrough time 480 min Short-term hand contact Use

Appropriate Material nitrile

Material thickness 0.11 mm

Hand protection must comply with EN 374.

#### Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

# **Body protection**

Clothing as usual in the chemical industry. Protective shoes

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

**Physical state** liquid

Colour yellow-green characteristic Odour

**Melting point** 

Remarks not determined

Freezing point

Remarks not determined

# Boiling point or initial boiling point and boiling range

Value °C appr. 100



Version: 3 / GB Replaces Version: 2 / GB Date revised: 19.10.2022 Print date: 20.01.23

**Flammability** 

evaluation Not applicable

Upper and lower explosive limits

Remarks Not applicable

Flash point

Remarks Not applicable

Ignition temperature

Remarks Not applicable

**Decomposition temperature** 

Remarks

Remarks not determined

pH value

Value appr. 14

**Viscosity** 

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value 1,17 g/cm<sup>3</sup>

Relative vapour density

Remarks not determined

9.2. Other information

**Odour threshold** 

Remarks not determined

**Evaporation rate (ether = 1):** 

Remarks not determined

Solubility in water

Remarks not determined

**Explosive properties** 

evaluation no

**Oxidising properties** 

evaluation None known

Other information

None known

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

# 10.2. Chemical stability

No hazardous reactions known.



Version: 3 / GB Replaces Version: 2 / GB Date revised: 19.10.2022 Print date: 20.01.23

# 10.3. Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4. Conditions to avoid

Do not keep the container sealed. Protect from heat and direct sunlight.

### 10.5. Incompatible materials

Strong exothermic reaction with acids. Corrodes aluminium. Evolution of chlorine under influence of acids.

### 10.6. Hazardous decomposition products

Chlorine, Irritant gases/vapours

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE > 2000 mg/kg Method calculated value (Regulation (EC) No. 1272/2008)

Remarks Based on available data, the classification criteria are not met.

# **Acute oral toxicity (Components)**

sodium hypochlorite, solution... % CI active

Species rat

LD50 1100 mg/kg

C12-C14 alkyldimethylamine oxide

Species rat

LD50 300 to 2000 mg/kg

Method OECD 401

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

# **Acute dermal toxicity (Components)**

sodium hypochlorite, solution... % Cl active

Species rabbit

LD50 > 20000 mg/kg

Method OECD 402

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

## **Acute inhalative toxicity (Components)**

sodium hypochlorite, solution... % CI active

Species rat

LC50 10,5 mg/l

Duration of exposure 1 h

Administration/Form Vapors
Method OECD 403

Skin corrosion/irritation

evaluation corrosive

Remarks The classification criteria are met.

Serious eye damage/irritation

evaluation corrosive

Remarks The classification criteria are met.

Sensitization



Version: 3 / GB Replaces Version: 2 / GB Date revised: 19.10.2022 Print date: 20.01.23

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)** 

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

**Aspiration hazard** 

Based on available data, the classification criteria are not met.

# 11.2 Information on other hazards

### Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

#### **Experience in practice**

Inhalation may lead to irritation of the respiratory tract.

# Other information

There is no data available on the product apart from the information given in this subsection.

### **SECTION 12: Ecological information**

# 12.1. Toxicity

#### **General information**

not determined

### Fish toxicity (Components)

sodium hypochlorite, solution... % CI active

Species rainbow trout (Oncorhynchus mykiss)

LC50 0,06 mg/l

Duration of exposure 96 h

C12-C14 alkyldimethylamine oxide

Species Fathead minnow (Pimephales promelas)
LC50 1 to 10 mg/l

Duration of exposure 96 h

#### **Daphnia toxicity (Components)**

#### sodium hypochlorite, solution... % Cl active

Species Daphnia magna

EC50 0,141 mg/l

Duration of exposure 48 h

Method OECD 202

#### C12-C14 alkyldimethylamine oxide

Species Daphnia magna

EC50 1 to 10 mg/l



Version: 3 / GB Replaces Version: 2 / GB Date revised: 19.10.2022 Print date: 20.01.23

Duration of exposure 48 h

Method OECD 202

### Algae toxicity (Components)

sodium hypochlorite, solution... % CI active

EC50 0,0499 mg/l

Duration of exposure 7 d Source Manufacturer's data

C12-C14 alkyldimethylamine oxide

Species Selenastrum capricornutum

EC50 0,1 to 1 mg/l

Duration of exposure 72 h

Method OECD 201

### **Bacteria toxicity (Components)**

sodium hypochlorite, solution... % CI active

Species activated sludge

EC50 77,1 mg/l Duration of exposure 3 h

Duration of exposure 3 Method OECD 209

) O Develotopee and degreedability

# 12.2. Persistence and degradability

#### **General information**

not determined

#### 12.3. Bioaccumulative potential

#### **General information**

not determined

# Partition coefficient n-octanol/water (log value)

Remarks not determined

# 12.4. Mobility in soil

#### General information

not determined

#### 12.5. Results of PBT and vPvB assessment

#### **General information**

not determined

# Results of PBT and vPvB assessment

The product contains no PBT or vPvB substances.

# 12.6 Endocrine disrupting properties

#### Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

### 12.7. Other adverse effects

#### **General information**

not determined

### General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

# **SECTION 13: Disposal considerations**



Version: 3 / GB Replaces Version: 2 / GB Date revised: 19.10.2022 Print date: 20.01.23

#### 13.1. Waste treatment methods

# Disposal recommendations for the product

EWC waste code 18 01 06\* chemicals consisting of or containing dangerous substances

EWC waste code 20 01 15\* alkalines

EWC waste code 20 01 29\* detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be

understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

# Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging Completely emptied packagings can be given for recycling.

EWC waste code 15 01 10\* packaging containing residues of or contaminated by

dangerous substances

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal

company.

# **SECTION 14: Transport information**



Print date: 20.01.23 Version: 3 / GB Replaces Version: 2 / GB Date revised: 19.10.2022

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	Е		
IMDG-Code segregation group		18 Alkalis	
14.1. UN number or ID number	1719	1719	1719
14.2. UN proper shipping name	CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, sodium hypochlorite, solution)	CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, sodium hypochlorite, solution)	CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide, sodium hypochlorite, solution)
14.3. Transport hazard class(es)	8	8	8
Label	8		<u> </u>
14.4. Packing group	II	II	II
Limited Quantity	11	11	
Transport category	2		
14.5. Environmental hazards	ENVIRONMENTALLY HAZARDOUS	Marine Pollutant  ENVIRONMENTALLY HAZARDOUS	ENVIRONMENTALLY HAZARDOUS

# Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

# Other information

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Major-accident categories acc. 2012/18/EU

Category E1 Hazardous to the Aquatic 100.000 kg 200.000 kg

Environment

Ingredients (Regulation (EC) No 648/2004)

5 % or over but less than 15 %:



Version: 3 / GB Replaces Version: 2 / GB Date revised: 19.10.2022 Print date: 20.01.23

soap

#### less than 5 %:

phosphates, chlorine-based bleaching agents, non-ionic surfactants

VOC

VOC (EU) 0 %

#### Other information

The product does not contain substances of very high concern (SVHC).

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1 H290 Skin Corr. 1A H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411

### Hazard statements listed in Chapter 2/3

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

#### CLP categories listed in Chapter 2/3

Acute Tox. 4 Acute toxicity, Category 4

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2

Eye Dam. 1 Serious eye damage, Category 1

Eye Irrit. 2 Eye irritation, Category 2

Met. Corr. 1 Substance or mixture corrosive to metals, Category 1

Skin Corr. 1A Skin corrosion, Category 1A Skin Corr. 1B Skin corrosion, Category 1B Skin Irrit. 2 Skin irritation, Category 2

# **Abbreviations**

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization IATA: International Air Transport Association

VOC: Volatile Organic Compound

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative



Version: 3 / GB Replaces Version: 2 / GB Date revised: 19.10.2022 Print date: 20.01.23

SVHC: Substances of very high concern

**UN: United Nations** 

# **Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.