





rsion: 3	GB Repl	laces Version: 2 / G	βB	Date	revised: 2	23.11.2022	Print date: 13.10.
	303+P361+P353	Wear protective glo IF ON SKIN (or hai with water [or show	r): Take				face protection. ed clothing. Rinse skii
P	305+P351+P338	-	cautious				es. Remove contact
P3	310	Immediately call a Dispose only when residues, refer to s	POISON containe	I CEN er is	NTER or do empty and	octor.	posal of product
Haza	rdous componen	t(s) to be indicate	ed on la	abel	(Regulati	ion (EC) No. <sup>•</sup>	1272/2008)
co	ntains	phosphoric acid					
Tł nc dc	o special hazards have ne product contains n ot contain a substance pes not contain a sub ganisms.	o PBT substances. e that has endocrine	The pro e disrupt	ting p	roperties v	vith respect to h	
CTION	3: Composition	/information or	n ingree	dien	its		
2. Mixt	ures						
	irdous ingredients	6					
	sphoric acid						
		7664-38-2					
		231-633-2 01-2119485924-24					
	egistration no.	>= 25	<		50	%	
	assification (Regulati				00	70	
-		Met. Corr. 1		1290			
		Skin Corr. 1B		1314			
		Eye Dam. 1	Н	1318			
С	oncentration limits (R	egulation (EC) No.	1272/200	08)			
		<b>j</b>	H319		>= 10 < 25	5 %	
			H314 H315		>= 25 % >= 10 < 25	- 0/	
Ac	ditional remarks:	Skill IIII. 2	пэтэ		~~ 10 < 2:	0 70	
CI		Regulation (EC) No	0 1272/20	008,	Annex VI,	Note B	
	y alcohols, ethoxyla						
		68439-51-0 >= 1			10	%	
	oncentration assification (Regulati	•	< 8009		10	70	
0		Aquatic Chronic 3	,	412			
£-11-		4 a d					
	<b>/ alcohols, alkoxyla</b> AS No.	68213-24-1					
	oncentration	>= 1	<		10	%	
CI	assification (Regulati		,				
		Aquatic Acute 1	Н	1400			
Othe	r information						



# neomoscan CP acid 300

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 23.11.2022

Print date: 13.10.23

# 4.1. Description of first aid measures

#### **General information**

Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

#### After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid.

#### After skin contact

After contact with skin, wash immediately with plenty of water. Take medical treatment.

#### After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

#### After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

#### Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

#### **4.2. Most important symptoms and effects, both acute and delayed** Until now no symptoms known so far.

# 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

#### Non suitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

#### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

#### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

#### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures** Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

# 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.



/ersion: 3/GB	Replaces \	ersion: 2/G	B Dat	e revised:	23.11.2022	Print date: 13.10.2
6.3. Methods and Pick up with a						th the regulations.
6.4. Reference to Refer to prote	other sectio		ions 7 and 8	3.		
SECTION 7: Handl						
closed. Advice on prot	<b>e handling</b> on of aerosols. C	bserve the u	-	tions for ha	ndling chemica	als. Keep container tight
7.2. Conditions fo			ng any in	compatil	oilities	
Recommended Value	d storage tem	perature > 0	<	30	°C	
	-	ghtly closed.	Storage roo			ilated. Containers which
Storage classe	s			<b> </b>		
Storage classe Storage class TRGS 510		8B			prrosive hazaro	dous substances
Storage class TRGS 510 7.3. Specific end	according to	8B			rrosive hazaro	dous substances
Storage class TRGS 510 7.3. Specific end no data	according to use(s)	-	Non-con	nbustible co	rrosive hazaro	dous substances
Storage class TRGS 510 7.3. Specific end no data	according to use(s) sure controls meters	-	Non-con	nbustible co	rrosive hazaro	dous substances
Storage class TRGS 510 7.3. Specific end no data SECTION 8: Expos 8.1. Control parar Exposure limit phosphoric act List Type Value	according to use(s) sure controls meters values id %	-	Non-con	nbustible co	rrosive hazaro	dous substances
Storage class TRGS 510 7.3. Specific end no data SECTION 8: Expos 8.1. Control parar Exposure limit phosphoric act List Type Value Short term ex phosphoric act List Type Value Short term ex Phosphoric act List Type Value	according to use(s) sure controls meters values id %	EH40 WEL 1 2 IOELV IOELV 1	Mon-con protectic mg/m <sup>3</sup> mg/m <sup>3</sup>	nbustible co	prosive hazard	dous substances
Storage class TRGS 510 7.3. Specific end no data SECTION 8: Expos 8.1. Control parar Exposure limit phosphoric act List Type Value Short term ex phosphoric act List Type Value Short term ex Other informat	according to use(s) sure controls meters values id % posure limit id %	EH40 WEL 1 2 IOELV IOELV 1 2	Mon-con	nbustible co	rrosive hazaro	dous substances
Storage class TRGS 510 7.3. Specific end no data SECTION 8: Expos 8.1. Control parar Exposure limit phosphoric act List Type Value Short term ex phosphoric act List Type Value Short term ex Other informat	according to use(s) sure controls meters values id % posure limit id % posure limit id %	EH40 WEL 1 2 IOELV IOELV 1 2	Mon-con	nbustible co	rrosive hazaro	dous substances

Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

### **Respiratory protection**

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.



ion: 3/GB	Replaces	Version: 2 / GB	Date revised: 23.11.2022	Print date: 13.10
Particle filter	P2			
Hand protection				
Chemical res				
Use	John gioree	Permanent hand	contact	
Appropriate N	<b>Naterial</b>	neoprene		
Material thick	iness	>= 0,65	mm	
Breakthrough		> 480	min	
Appropriate N		nitrile		
Material thick		>= 0,4	mm	
Breakthrough Appropriate N		> 480	min	
Material thick		butyl >= 0,7	mm	
Breakthrough		> 480	min	
Use		Short-term hand		
Appropriate N	Material	nitrile		
Material thick	iness	>= 0,11	mm	
Hand protect	ion must compl	y with EN ISO 374.		
Eye protection	า			
Safety glasse	es with side pro	tection shield; Eye	protection must comply with EN	166.
Body protection	on			
•••		mical industry. Prot	ective shoes	
		mical propertie		
		ysical and cher liquid, clear	nical properties	
Physical state Colour		liquid, clear colourless		
Physical state Colour Odour		liquid, clear		
Physical state Colour Odour Melting point		liquid, clear colourless uncharacterist	ic	
Physical state Colour Odour Melting point Remarks		liquid, clear colourless	ic	
Physical state Colour Odour Melting point Remarks Freezing point		liquid, clear colourless uncharacterist not determine	ic d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks	t	liquid, clear colourless uncharacterist not determined not determined	ic d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of	t	liquid, clear colourless uncharacterist not determined not determined ng point and bo	ic d d i <b>ling range</b>	
Physical state Colour Odour Melting point Remarks Freezing point Remarks	t	liquid, clear colourless uncharacterist not determined not determined	ic d d i <b>ling range</b>	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of	t	liquid, clear colourless uncharacterist not determined not determined ng point and bo	ic d d i <b>ling range</b>	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks	t	liquid, clear colourless uncharacterist not determined not determined ng point and bo	ic d d i <b>ling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability	t or initial boili	liquid, clear colourless uncharacterist not determined not determined not determined not determined Not applicable	ic d d i <b>ling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation	t or initial boili	liquid, clear colourless uncharacterist not determined not determined not determined Not applicable limits	ic d d i <b>ling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks	t or initial boili	liquid, clear colourless uncharacterist not determined not determined not determined not determined Not applicable	ic d d i <b>ling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point	t or initial boili	liquid, clear colourless uncharacterist not determined not determined not determined Not applicable limits Not applicable	ic d d i <b>ling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks	t or initial boili ver explosive	liquid, clear colourless uncharacterist not determined not determined not determined Not applicable limits	ic d d i <b>ling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition temper	t or initial boili ver explosive	liquid, clear colourless uncharacterist not determined not determined not determined Not applicable limits Not applicable Not applicable	ic d i <b>ling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition temper Remarks	t or initial boili ver explosive erature	liquid, clear colourless uncharacterist not determined not determined not determined Not applicable Not applicable Not applicable	ic d i <b>ling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition temper Remarks Decompositio	t or initial boili ver explosive erature	liquid, clear colourless uncharacterist not determined not determined not determined Not applicable Not applicable Not applicable	ic d i <b>ling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition temper Remarks Decompositio Remarks	t or initial boili ver explosive erature	liquid, clear colourless uncharacterist not determined not determined not determined Not applicable Not applicable Not applicable Not applicable	ic d d i <b>ling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition temper Remarks Decompositio	t or initial boili ver explosive erature	liquid, clear colourless uncharacterist not determined not determined not determined Not applicable Not applicable Not applicable	ic d d i <b>ling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition temper Remarks Decompositio Remarks	t or initial boili ver explosive erature	liquid, clear colourless uncharacterist not determined not determined not determined Not applicable Not applicable Not applicable Not applicable	ic d d i <b>ling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition temper Remarks Decompositio Remarks Remarks	t or initial boili ver explosive erature	liquid, clear colourless uncharacterist not determined not determined not determined not determined Not applicable Not applicable Not applicable not determined 2 2 3	ic d d <b>iling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition temper Remarks Decompositio Remarks Remarks PH value	t or initial boili ver explosive erature n temperatur	liquid, clear colourless uncharacterist not determined not determined not determined Not applicable Not applicable Not applicable Not applicable	ic d d i <b>ling range</b> d	
Physical state Colour Odour Melting point Remarks Freezing point Remarks Boiling point of Remarks Flammability evaluation Upper and low Remarks Flash point Remarks Ignition tempe Remarks Decompositio Remarks Remarks PH value Value	t or initial boili ver explosive erature n temperatur	liquid, clear colourless uncharacterist not determined not determined not determined not determined Not applicable Not applicable Not applicable not determined 2 2 3	ic d d <b>iling range</b> d	



#### neomoscan CP acid 300 Print date: 13.10.23 Replaces Version: 2 / GB Date revised: 23.11.2022 Version: 3 / GB Solubility(ies) Remarks not determined Partition coefficient n-octanol/water (log value) Remarks not determined Vapour pressure Remarks not determined Density and/or relative density Value 1,31 g/cm<sup>3</sup> °C Temperature 20 **Relative vapour density** Remarks not determined 9.2. Other information **Odour threshold** Remarks not determined Evaporation rate (ether = 1) : not determined Remarks Solubility in water Remarks miscible in all proportions **Explosive properties** evaluation no **Oxidising properties** evaluation None known Other information None known **SECTION 10: Stability and reactivity** 10.1. Reactivity No hazardous reactions when stored and handled according to prescribed instructions. 10.2. Chemical stability No hazardous reactions known. 10.3. Possibility of hazardous reactions No hazardous reactions known. 10.4. Conditions to avoid No hazardous reactions known. 10.5. Incompatible materials Reactions with alkalies. Reactions with metals, with evolution of hydrogen. 10.6. Hazardous decomposition products No hazardous decomposition products known. SECTION 11: Toxicological information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute oral toxicity Remarks Based on available data, the classification criteria are not met. Acute oral toxicity (Components)



#### neomoscan CP acid 300 Print date: 13.10.23 Replaces Version: 2 / GB Date revised: 23.11.2022 Version: 3 / GB phosphoric acid ... % Species rat LD50 2600 mg/kg fatty alcohols, ethoxylated, propoxylated Species rat LD50 2000 mg/kg Method EEC 84/449, B.1 fatty alcohols, alkoxylated Species rat LD50 2000 mg/kg > Acute dermal toxicity Remarks Based on available data, the classification criteria are not met. Acute dermal toxicity (Components) phosphoric acid ... % Species rabbit LD50 2740 mg/kg fatty alcohols, ethoxylated, propoxylated Species rat LD50 5000 mg/kg > Acute inhalational toxicity Remarks Based on available data, the classification criteria are not met. Skin corrosion/irritation evaluation corrosive Remarks The classification criteria are met. Serious eye damage/irritation evaluation corrosive Remarks The classification criteria are met. Sensitization Remarks Based on available data, the classification criteria are not met. Sensitization (Components) fatty alcohols, alkoxylated Species guinea pig evaluation non-sensitizing Method **OECD 406** Subacute, subchronic, chronic toxicity Based on available data, the classification criteria are not met. Remarks Mutagenicity Remarks Based on available data, the classification criteria are not met. **Reproductive toxicity** Remarks Based on available data, the classification criteria are not met. Carcinogenicity Remarks Based on available data, the classification criteria are not met. Specific Target Organ Toxicity (STOT) Single exposure Remarks Based on available data, the classification criteria are not met. **Repeated exposure** Remarks Based on available data, the classification criteria are not met.



neomoscan CP	acid 3	300				
Version: 3 / GB Repla	ces Version	: 2/GB	Date	revised:	23.11.2022	Print date: 13.10.23
Aspiration hazard Based on available data	, the classifi	cation crite	ria are n	ot met.		
11.2 Information on other	hazards					
Endocrine disrupting pro The product does not co humans.	-	-			srupting proper	ties with respect to
Experience in practice Inhalation may lead to in	ritation of th	e respirator	y tract.			
Other information There is no data available	le on the pro	oduct apart	from the	informat	ion given in thi	s subsection.
<b>SECTION 12: Ecological in</b>	formatio	n				
12.1. Toxicity						
General information not determined						
Fish toxicity (Compone	nts)					
phosphoric acid % Species LC50 Duration of exposure	mosqu	iito fish 138 96	h		mg/l	
fatty alcohols, ethoxylate	ed, propoxy					
Species LC50		(Poecilia re	eticulata) to	10	mg/l	
Duration of exposure Method	OECD	96 203	h			
fatty alcohols, alkoxylate						
Species	raindo	w trout (On 0,2			ss) mg/l	
Duration of exposure		96	h	•		
Daphnia toxicity (Comp	onents)					
phosphoric acid … %						
Species	•	iia magna				
EC50 Duration of exposure	>	100 48	h		mg/l	
Method	OECD					
fatty alcohols, ethoxylate						
Species EC50	Daphr	iia magna 1	to	10	mg/l	
Duration of exposure		48	h	10	ing/i	
Method	OECD	202				
fatty alcohols, alkoxylate						
Species EC50	Daphr	iia magna 1	to	10	mg/l	
Duration of exposure		48	h	10	ing/i	
Algae toxicity (Compon	ents)					
phosphoric acid %						
Species		desmus su	bspicatu	S	ma = //	
EC50 Duration of exposure	>	100 72	h		mg/l	



ersion: 3/GB	Replaces	Version: 2 / GB	Date revised	: 23.11.2022	Print date: 13.10.23
Method		OECD 201			
fatty alcohols Species	, ethoxylated, p	propoxylated Scenedesmus sul	ospicatus		
EC50		1	to 10	mg/l	
Duration of e Method	exposure	72 OECD 201	h		
Bacteria toxic	ity (Compone	ents)			
	, ethoxylated, p				
Species EC0		Pseudomonas pu > 100	tida	m a /l	
Method		OECD 209		mg/l	
	and degree				
2.2. Persistence	•	ability			
General infor					
not determin	•••				
Biodegradabi	• • •	-			
fatty alcohols evaluation	, ethoxylated, μ		lable (according	to OECD criteria)	
fatty alcohols evaluation	, alkoxylated	Readily biodegrad	lable (according	to OECD criteria)	
2.3. Bioaccumu	lative poten	tial			
General infor	•				
not determin					
		nol/water (log va	امیں		
Remarks		not determined			
12.4 Mability in	ooil				
12.4. Mobility in					
General infor					
not determin	ed				
2.5. Results of	PBT and vPv	B assessment			
General infor	mation				
not determin	ed				
Results of PB	T and vPvB a	ssessment			
The product	contains no PB	T or vPvB substanc	es.		
2.6 Endocrine o	lisrupting pr	operties			
		erties with respe	ct to the envi	rionment	
		n a substance that			s with respect to
non-target or					·
2.7. Other adve	rse effects				
General infor	mation				
not determin					
General infor		av			
		••	omplies(compl	y) with the biodear	adability criteria as laid
down in Reg	ulation (EC) No.				nmonitored into the
environment					



# neomoscan CP acid 300

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 23.11.2022

Print date: 13.10.23

## 13.1. Waste treatment methods

#### Disposal recommendations for the product

EWC waste code18 01 06\*<br/>20 01 29\*chemicals consisting of or containing dangerous substances<br/>detergents containing dangerous substancesThe listed waste code numbers, according to the European Waste Catalogue (EWC), are to be<br/>understood as a recommendation. A final decision must be made in agreement with the regional waste<br/>disposal company.

#### **Disposal recommendations for packaging**

EWC waste code15 01 02plastic packagingCompletely emptied packagings can be given for recycling.

EWC waste code 15 01 10\* packaging containing residues of or contaminated by dangerous substances

Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

# **SECTION 14: Transport information**

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		1 Acids	
14.1. UN number or ID number	1805	1805	1805
14.2. UN proper shipping name	PHOSPHORIC ACID, SOLUTION	PHOSPHORIC ACID, SOLUTION	PHOSPHORIC ACID, SOLUTION
14.3. Transport hazard class(es)	8	8	8
Label	Line and the second sec	B	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
14.4. Packing group	Ш	111	III
Limited Quantity	51	51	
Transport category	3		
14.5. Environmental hazards		no	

# Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

#### Other information

14.7 Maritime transport in bulk according to IMO instruments Not applicable

## **SECTION 15: Regulatory information**



ersion: 3/GB	Replaces '	Version: 2 / GB	Date r	evised: 2	3.11.2022	Print date: 13.10.2
15.1. Safety, hea or mixture	Ith and envir	onmental regu	lations	/legislat	ion specifi	c for the substanc
	Regulation (EC	C) No 648/2004)				
30 % and mor	•	, ,				
phosphates						
5 % or over be non-ionic su	ut less than 15 factants	%:				
VOC		<u>,</u>	0/			
VOC (EU)	iono rootriotic	0 one and prohibit	%	0 Victiona	g/l	
Observe em	ployment restrict	ons and prohibit	-	nations		
Other informa				(0)		
		n substances of ver	ry high co	ncern (SV	/HC).	
15.2. Chemical s For this prep		<b>ment</b> cal safety assessm	ent has n	ot been ca	arried out.	
ECTION 16: Oth	er informatio	n				
	Met. 0	Corr. 1	H290			
	Skin ( Eye D	Corr. 1B Dam. 1				
Hazard staten	Skin ( Eye D	Corr. 1B Dam. 1 I <b>Chapter 2/3</b>	H290 H314 H318			
H290	Skin ( Eye D	Corr. 1B Dam. 1 I <b>Chapter 2/3</b> May be corrosive	H290 H314 H318 to metals		amage.	
H290 H314 H318	Skin ( Eye D	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e	H290 H314 H318 to metals kin burns ye damag	and eye d	amage.	
H290 H314 H318 H400	Skin ( Eye D	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aqua	H290 H314 H318 to metals kin burns ye damag atic life.	and eye d je.	-	
H290 H314 H318 H400 H412	Skin ( Eye D nents listed in	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aquat Harmful to aquation	H290 H314 H318 to metals kin burns ye damag atic life.	and eye d je.	-	
H290 H314 H318 H400	Skin ( Eye D nents listed in es listed in Ch	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aquat Harmful to aquation	H290 H314 H318 to metals kin burns ye damag atic life. c life with	and eye d je. long lastir	ng effects.	egory 1
H290 H314 H318 H400 H412 <b>CLP categori</b> Aquatic Acut Aquatic Chrc	Skin ( Eye D nents listed in es listed in Ch e 1	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aqua Harmful to aquation apter 2/3 Hazardous to the Hazardous to the	H290 H314 H318 to metals cin burns ye damag atic life. c life with aquatic e aquatic e	and eye d je. long lastir nvironmei nvironmei	ng effects. nt, acute, Cate	
H290 H314 H318 H400 H412 <b>CLP categori</b> Aquatic Acut Aquatic Chro Eye Dam. 1	Skin ( Eye D nents listed in es listed in Ch e 1	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aqua Harmful to aquation (apter 2/3) Hazardous to the Hazardous to the Serious eye dama	H290 H314 H318 to metals cin burns ye damag atic life. c life with aquatic e aquatic e age, Cate	and eye d je. long lastir nvironmei nvironmei gory 1	ng effects. nt, acute, Cate nt, chronic, Ca	ategory 3
H290 H314 H318 H400 H412 <b>CLP categori</b> Aquatic Acut Aquatic Chrc	Skin ( Eye D nents listed in es listed in Ch e 1 onic 3	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aqua Harmful to aquation apter 2/3 Hazardous to the Hazardous to the	H290 H314 H318 to metals in burns ye damag atic life. c life with aquatic e aquatic e age, Cate ture corro	and eye d je. long lastir nvironmei nvironmei gory 1 sive to me	ng effects. nt, acute, Cate nt, chronic, Ca	ategory 3
H290 H314 H318 H400 H412 <b>CLP categori</b> Aquatic Acut Aquatic Chro Eye Dam. 1 Met. Corr. 1	Skin ( Eye D nents listed in es listed in Ch e 1 onic 3	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aqua Harmful to aquation apter 2/3 Hazardous to the Hazardous to the Serious eye dama Substance or mix	H290 H314 H318 to metals in burns ye damag atic life. c life with aquatic e aquatic e age, Cate ture corro	and eye d je. long lastir nvironmei nvironmei gory 1 sive to me	ng effects. nt, acute, Cate nt, chronic, Ca	ategory 3
H290 H314 H318 H400 H412 <b>CLP categorid</b> Aquatic Acut Aquatic Chro Eye Dam. 1 Met. Corr. 1 Skin Corr. 1 <b>Skin Corr. 1</b> <b>Abbreviations</b> ADR: Accord	Skin ( Eye D nents listed in es listed in Ch e 1 onic 3 3 5 I européen relati	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aqua Harmful to aquation apter 2/3 Hazardous to the Hazardous to the Serious eye dama Substance or mix Skin corrosion, Ca	H290 H314 H318 to metals in burns ye damag atic life. c life with aquatic e aguatic e age, Cate ture corro ategory 1 national c	and eye d je. long lastir nvironmer gory 1 sive to me B	ng effects. nt, acute, Cate nt, chronic, Ca etals, Categor andises Dang	ategory 3 y 1 ereuses par Route
H290 H314 H318 H400 H412 <b>CLP categorid</b> Aquatic Acut Aquatic Chro Eye Dam. 1 Met. Corr. 1 Skin Corr. 1 <b>Skin Corr. 1</b> <b>Abbreviations</b> ADR: Accord RID: Règlem	Skin ( Eye D nents listed in es listed in Ch e 1 onic 3 l européen relati ent concernant	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aqua Harmful to aquation apter 2/3 Hazardous to the Hazardous to the Serious eye dama Substance or mix Skin corrosion, Ca f au transport interna	H290 H314 H318 to metals in burns ye damag atic life. c life with aquatic e aguatic e age, Cate ture corro ategory 1 national c	and eye d je. long lastir nvironmer gory 1 sive to me B les march roviaire de	ng effects. nt, acute, Cate nt, chronic, Ca etals, Categor andises Dang	ategory 3 y 1 ereuses par Route
H290 H314 H318 H400 H412 <b>CLP categorie</b> Aquatic Acut Aquatic Chrc Eye Dam. 1 Met. Corr. 1 Skin Corr. 1 <b>Skin Corr. 1</b> <b>Abbreviations</b> ADR: Accord RID: Règlem IMDG: Intern ICAO: Intern	Skin ( Eye D nents listed in es listed in Ch e 1 onic 3 B l européen relati ent concernant lational Maritime ational Civil Avia	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aqua Harmful to aquation apter 2/3 Hazardous to the Hazardous to the Serious eye dama Substance or mix Skin corrosion, Ca f au transport inter le transport interna Code for Dangero ation Organization	H290 H314 H318 to metals in burns ye damag atic life. c life with aquatic e aguatic e age, Cate ture corro ategory 1 national c	and eye d je. long lastir nvironmer gory 1 sive to me B les march roviaire de	ng effects. nt, acute, Cate nt, chronic, Ca etals, Categor andises Dang	ategory 3 y 1 ereuses par Route
H290 H314 H318 H400 H412 <b>CLP categorie</b> Aquatic Acut Aquatic Chro Eye Dam. 1 Met. Corr. 1 Skin Corr. 1 <b>Abbreviations</b> ADR: Accord RID: Règlem IMDG: Intern ICAO: Intern IATA: Interna	Skin ( Eye D nents listed in es listed in Ch e 1 onic 3 l européen relati pational Maritime ational Civil Avia ational Air Trans	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aqua Harmful to aquation apter 2/3 Hazardous to the Hazardous to the Serious eye dama Substance or mix Skin corrosion, Ca f au transport inter le transport inter code for Dangero ation Organization port Association	H290 H314 H318 to metals in burns ye damag atic life. c life with aquatic e aguatic e age, Cate ture corro ategory 1 national c	and eye d je. long lastir nvironmer gory 1 sive to me B les march roviaire de	ng effects. nt, acute, Cate nt, chronic, Ca etals, Categor andises Dang	ategory 3 y 1 ereuses par Route
H290 H314 H318 H400 H412 <b>CLP categorie</b> Aquatic Acut Aquatic Chro Eye Dam. 1 Met. Corr. 1 Skin Corr. 1E <b>Abbreviations</b> ADR: Accoro RID: Règlem IMDG: Intern ICAO: Intern IATA: Interna VOC: Volatil	Skin ( Eye D nents listed in es listed in Ch e 1 onic 3 l européen relati pent concernant lational Maritime ational Civil Avia ational Air Trans e Organic Comp	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aqua Harmful to aquation apter 2/3 Hazardous to the Hazardous to the Serious eye dama Substance or mix Skin corrosion, Ca f au transport inter le transport inter code for Dangero ation Organization port Association	H290 H314 H318 to metals in burns ye damag atic life. c life with aquatic e aguatic e age, Cate ture corro ategory 1 national c	and eye d je. long lastir nvironmer gory 1 sive to me B les march roviaire de	ng effects. nt, acute, Cate nt, chronic, Ca etals, Categor andises Dang	ategory 3 y 1 ereuses par Route
H290 H314 H318 H400 H412 <b>CLP categorid</b> Aquatic Acut Aquatic Chro Eye Dam. 1 Met. Corr. 1 Skin Corr. 1 Skin Corr. 1 <b>Abbreviations</b> ADR: Accoro RID: Règlem IMDG: Intern ICAO: Intern IATA: Interna VOC: Volatile LD: Lethal de LC: Lethal co	Skin ( Eye D nents listed in es listed in Ch e 1 onic 3 I européen relati ent concernant ational Maritime ational Air Trans e Organic Comp ose oncentration	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aqua Harmful to aquation (apter 2/3 Hazardous to the Hazardous to the Serious eye dama Substance or mix Skin corrosion, Ca f au transport internal Code for Dangero ation Organization port Association ound	H290 H314 H318 to metals in burns ye damag atic life. c life with aquatic e aguatic e age, Cate ture corro ategory 1 national c	and eye d je. long lastir nvironmer gory 1 sive to me B les march roviaire de	ng effects. nt, acute, Cate nt, chronic, Ca etals, Categor andises Dang	ategory 3 y 1 ereuses par Route
H290 H314 H318 H400 H412 <b>CLP categorid</b> Aquatic Acut Aquatic Acut Aquatic Chro Eye Dam. 1 Met. Corr. 1 Skin Corr. 1 Skin Corr. 1 Skin Corr. 1 <b>Abbreviations</b> ADR: Accoro RID: Règlem IMDG: Intern IATA: Interna VOC: Volatil LD: Lethal do LC: Lethal co PBT: Persist	Skin ( Eye D nents listed in es listed in Ch e 1 onic 3 I européen relati pational Maritime ational Air Trans e Organic Comp ose oncentration ent, Bioaccumul	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aqua Harmful to aquation (apter 2/3 Hazardous to the Hazardous to the Serious eye dama Substance or mix Skin corrosion, Ca f au transport internal Code for Dangero ation Organization port Association ound	H290 H314 H318 to metals in burns ye damag atic life. c life with aquatic e age, Cate ture corro ategory 1 national fer bus Goods	and eye d je. long lastir nvironmer gory 1 sive to me B les march roviaire de	ng effects. nt, acute, Cate nt, chronic, Ca etals, Categor andises Dang	ategory 3 y 1 ereuses par Route
H290 H314 H318 H400 H412 <b>CLP categorid</b> Aquatic Acut Aquatic Acut Aquatic Chro Eye Dam. 1 Met. Corr. 1 Skin Corr. 1 Skin Corr. 1 Skin Corr. 1 <b>Abbreviations</b> ADR: Accord RID: Règlem IMDG: Intern IATA: Interna VOC: Volatil LD: Lethal do LC: Lethal do LC: Lethal co PBT: Persist vPvB: Very p	Skin ( Eye D nents listed in es listed in Ch e 1 onic 3 I européen relati pational Maritime ational Air Trans e Organic Comp ose oncentration ent, Bioaccumul	Corr. 1B Dam. 1 Chapter 2/3 May be corrosive Causes severe sk Causes serious e Very toxic to aqua Harmful to aquation apter 2/3 Hazardous to the Hazardous to the Serious eye dama Substance or mix Skin corrosion, Ca f au transport internal Code for Dangero ation Organization port Association ound ative and Toxic	H290 H314 H318 to metals in burns ye damag atic life. c life with aquatic e age, Cate ture corro ategory 1 national fer bus Goods	and eye d je. long lastir nvironmer gory 1 sive to me B les march roviaire de	ng effects. nt, acute, Cate nt, chronic, Ca etals, Categor andises Dang	ategory 3 y 1 ereuses par Route



# neomoscan CP acid 300

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 23.11.2022

Print date: 13.10.23

the Protocol of 1978 (MARPOL: Marine Pollution) IBC: Intermediate Bulk Container CAS: Chemical Abstracts Service ISO: International Organization for Standardization OEL: Occupational exposure limit OECD: Organisation for Economic Co-operation and Development UN: United Nations IMO: International Maritime Organization

### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.