

# neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 07.08.2024

Print date: 07.08.24

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

neomoscan CP alka 162

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Identified Uses

PC35                      Washing and cleaning products (including solvent based products)

### 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

Chemische Fabrik Dr. Weigert GmbH & Co. KG  
Mühlenhagen 85  
D-20539 Hamburg  
Telephone no.            +49 40 789 60 0  
Fax no.                    +49 40 789 60 120  
E-mail address of  
person responsible  
for this SDS            sida@drweigert.de

### 1.4. Emergency telephone number

Emergency telephone number: 112

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

|               |      |
|---------------|------|
| Met. Corr. 1  | H290 |
| Skin Corr. 1B | H314 |
| Eye Dam. 1    | H318 |
| STOT SE 3     | H335 |

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008  
For explanation of abbreviations see section 16.

### 2.2. Label elements

#### Labelling according to regulation (EC) No 1272/2008

#### Hazard pictograms



#### Signal word

Danger

#### Hazard statements

|      |                                          |
|------|------------------------------------------|
| H290 | May be corrosive to metals.              |
| H314 | Causes severe skin burns and eye damage. |
| H335 | May cause respiratory irritation.        |

#### Precautionary statements

# neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 07.08.2024

Print date: 07.08.24

|                |                                                                                                                                  |
|----------------|----------------------------------------------------------------------------------------------------------------------------------|
| P260           | Do not breathe dust/fume/gas/mist/vapours/spray.                                                                                 |
| P280           | Wear protective gloves/protective clothing/eye protection/face protection.                                                       |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].                         |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310           | Immediately call a POISON CENTER or doctor.                                                                                      |
|                | Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.                   |

**Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)**  
contains potassium hydroxide; 2-aminoethanol

## 2.3. Other hazards

No special hazards have to be mentioned.  
The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients

##### 2-aminoethanol

|                                                |                   |      |   |                               |
|------------------------------------------------|-------------------|------|---|-------------------------------|
| CAS No.                                        | 141-43-5          |      |   |                               |
| EINECS no.                                     | 205-483-3         |      |   |                               |
| Registration no.                               | 01-2119486455-28  |      |   |                               |
| Concentration                                  | >= 1              | < 10 | % |                               |
| Classification (Regulation (EC) No. 1272/2008) |                   |      |   |                               |
|                                                | Acute Tox. 4      | H302 |   | Route of exposure: oral       |
|                                                | Acute Tox. 4      | H312 |   | Route of exposure: dermal     |
|                                                | Acute Tox. 4      | H332 |   | Route of exposure: inhalative |
|                                                | Skin Corr. 1B     | H314 |   |                               |
|                                                | Eye Dam. 1        | H318 |   |                               |
|                                                | STOT SE 3         | H335 |   | Route of exposure: inhalative |
|                                                | Aquatic Chronic 3 | H412 |   |                               |

Concentration limits (Regulation (EC) No. 1272/2008)

|       |                       |       |        |
|-------|-----------------------|-------|--------|
|       | STOT SE 3             | H335  | >= 5 % |
| ATE   | oral                  | 1.089 | mg/kg  |
| cATpE | dermal                | 1.100 | mg/kg  |
| cATpE | inhalative, Dust/Mist | 1,5   | mg/l   |

##### fatty acids, potassium salts

|                                                |               |      |   |  |
|------------------------------------------------|---------------|------|---|--|
| CAS No.                                        | 13040-18-1    |      |   |  |
| EINECS no.                                     | 235-910-9     |      |   |  |
| Concentration                                  | >= 1          | < 10 | % |  |
| Classification (Regulation (EC) No. 1272/2008) |               |      |   |  |
|                                                | Skin Irrit. 2 | H315 |   |  |
|                                                | Eye Irrit. 2  | H319 |   |  |

##### potassium hydroxide

|                  |                  |     |   |  |
|------------------|------------------|-----|---|--|
| CAS No.          | 1310-58-3        |     |   |  |
| EINECS no.       | 215-181-3        |     |   |  |
| Registration no. | 01-2119487136-33 |     |   |  |
| Concentration    | >= 1             | < 5 | % |  |

# neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 07.08.2024

Print date: 07.08.24

## Classification (Regulation (EC) No. 1272/2008)

|               |      |
|---------------|------|
| Met. Corr. 1  | H290 |
| Acute Tox. 4  | H302 |
| Skin Corr. 1A | H314 |
| Eye Dam. 1    | H318 |

Route of exposure: oral

## Concentration limits (Regulation (EC) No. 1272/2008)

|               |      |                   |
|---------------|------|-------------------|
| Eye Irrit. 2  | H319 | $\geq 0,5 < 2 \%$ |
| Skin Corr. 1A | H314 | $\geq 5 \%$       |
| Skin Corr. 1B | H314 | $\geq 2 < 5 \%$   |
| Skin Irrit. 2 | H315 | $\geq 0,5 < 2 \%$ |

ATE oral 333 mg/kg

### fatty alcohol alkoxylate

CAS No. 111190-40-0

Registration no. 02-2119548491-37

Concentration < 1 %

## Classification (Regulation (EC) No. 1272/2008)

|                   |      |
|-------------------|------|
| Eye Dam. 1        | H318 |
| Aquatic Acute 1   | H400 |
| Aquatic Chronic 3 | H412 |

### fatty alcohols, alkoxylated

CAS No. 120313-48-6

Concentration < 1 %

## Classification (Regulation (EC) No. 1272/2008)

|                   |      |
|-------------------|------|
| Skin Irrit. 2     | H315 |
| Aquatic Acute 1   | H400 |
| Aquatic Chronic 3 | H412 |

## Further ingredients

### 2,2',2''-nitrilotriethanol

CAS No. 102-71-6

EINECS no. 203-049-8

Registration no. 01-2119486482-31

Concentration  $\geq 1$  < 10 %

Advice: [3]

## Note

[3] Substance with occupational exposure limits

## Other information

Complete text of hazard statements in chapter 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

#### After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid.

#### After skin contact

After contact with skin, wash immediately with plenty of water. Take medical treatment.

# neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 07.08.2024

Print date: 07.08.24

## After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

## After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

## Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

## 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

## 4.3. Indication of any immediate medical attention and special treatment needed

### Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Extinguishing measures to suit surroundings

#### Non suitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

#### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

# neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 07.08.2024

Print date: 07.08.24

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

## Advice on protection against fire and explosion

The product is not combustible.

## 7.2. Conditions for safe storage, including any incompatibilities

### Recommended storage temperature

Value > 0 < 30 °C

### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### Storage classes

Storage class according to TRGS 510 8B Non-combustible corrosive hazardous substances

## 7.3. Specific end use(s)

no data

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limit values

##### potassium hydroxide ...%

|                           |      |                   |
|---------------------------|------|-------------------|
| List                      | EH40 |                   |
| Type                      | WEL  |                   |
| Short term exposure limit | 2    | mg/m <sup>3</sup> |

##### 2-aminoethanol

|                                                    |      |                   |          |
|----------------------------------------------------|------|-------------------|----------|
| List                                               | EH40 |                   |          |
| Type                                               | WEL  |                   |          |
| Value                                              | 2.5  | mg/m <sup>3</sup> | 1 ppm(V) |
| Short term exposure limit                          | 7.6  | mg/m <sup>3</sup> | 3 ppm(V) |
| Skin resorption / sensibilisation: Sk; Remarks: Sk |      |                   |          |

##### 2-aminoethanol

|                                                      |       |                   |          |
|------------------------------------------------------|-------|-------------------|----------|
| List                                                 | IOELV |                   |          |
| Type                                                 | IOELV |                   |          |
| Value                                                | 2,5   | mg/m <sup>3</sup> | 1 ppm(V) |
| Short term exposure limit                            | 7,6   | mg/m <sup>3</sup> | 3 ppm(V) |
| Skin resorption / sensibilisation: Sk; Remarks: Skin |       |                   |          |

#### Other information

There are not known any further control parameters.

### 8.2. Exposure controls

#### General protective and hygiene measures

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

#### Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Particle filter P2

#### Hand protection

Chemical resistant gloves  
Use Permanent hand contact

# neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 07.08.2024

Print date: 07.08.24

|                                          |                         |      |     |
|------------------------------------------|-------------------------|------|-----|
| Appropriate Material                     | neoprene                |      |     |
| Material thickness                       | >=                      | 0,65 | mm  |
| Breakthrough time                        | >                       | 480  | min |
| Appropriate Material                     | nitrile                 |      |     |
| Material thickness                       | >=                      | 0,4  | mm  |
| Breakthrough time                        | >                       | 480  | min |
| Appropriate Material                     | butyl                   |      |     |
| Material thickness                       | >=                      | 0,7  | mm  |
| Breakthrough time                        | >                       | 480  | min |
| Use                                      | Short-term hand contact |      |     |
| Appropriate Material                     | nitrile                 |      |     |
| Material thickness                       | >=                      | 0,11 | mm  |
| Hand protection must comply with EN 374. |                         |      |     |

## Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

## Body protection

Clothing as usual in the chemical industry. Protective shoes

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                                 |                  |
|-----------------------------------------------------------------|------------------|
| <b>Physical state</b>                                           | liquid           |
| <b>Colour</b>                                                   | yellowish, clear |
| <b>Odour</b>                                                    | characteristic   |
| <b>Melting point</b>                                            |                  |
| Remarks                                                         | not determined   |
| <b>Freezing point</b>                                           |                  |
| Remarks                                                         | not determined   |
| <b>Boiling point or initial boiling point and boiling range</b> |                  |
| Remarks                                                         | not determined   |
| <b>Flammability</b>                                             |                  |
| evaluation                                                      | Not applicable   |
| <b>Upper and lower explosive limits</b>                         |                  |
| Remarks                                                         | Not applicable   |
| <b>Flash point</b>                                              |                  |
| Remarks                                                         | Not applicable   |
| <b>Auto-ignition temperature</b>                                |                  |
| Remarks                                                         | Not applicable   |
| <b>Decomposition temperature</b>                                |                  |
| Remarks                                                         |                  |
| Remarks                                                         | not determined   |
| <b>pH value</b>                                                 |                  |
| Value                                                           | appr. 14         |
| Temperature                                                     | 20 °C            |
| <b>Viscosity</b>                                                |                  |
| <b>dynamic</b>                                                  |                  |
| Value                                                           | < 50             |
| Temperature                                                     | 20 °C            |
| <b>Solubility(ies)</b>                                          | mPa.s            |

# neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 07.08.2024

Print date: 07.08.24

Remarks not determined

## Partition coefficient n-octanol/water (log value)

Remarks not determined

## Vapour pressure

Remarks not determined

## Density and/or relative density

Value 1,09 g/cm<sup>3</sup>

Temperature 20 °C

## Relative vapour density

Remarks not determined

## 9.2. Other information

### Odour threshold

Remarks not determined

### Evaporation rate (ether = 1) :

Remarks not determined

### Solubility in water

Remarks miscible in all proportions

### Explosive properties

evaluation no

### Oxidising properties

evaluation None known

### Other information

None known

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

### 10.2. Chemical stability

No hazardous reactions known.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

### 10.4. Conditions to avoid

No hazardous reactions known.

### 10.5. Incompatible materials

Strong exothermic reaction with acids. Corrodes aluminium.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

ATE > 2000 mg/kg  
Method calculated value (Regulation (EC) No. 1272/2008)

#### Acute oral toxicity (Components)

# neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 07.08.2024

Print date: 07.08.24

## 2-aminoethanol

|         |          |      |       |
|---------|----------|------|-------|
| Species | rat      |      |       |
| LD50    |          | 1089 | mg/kg |
| Method  | OECD 401 |      |       |

## potassium hydroxide ...%

|         |     |     |       |
|---------|-----|-----|-------|
| Species | rat |     |       |
| LD50    |     | 333 | mg/kg |

## Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

## Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

## Acute inhalative toxicity (Components)

### 2-aminoethanol

|                      |        |      |       |
|----------------------|--------|------|-------|
| Species              | rat    |      |       |
| LC50                 |        | 1487 | mg/m³ |
| Duration of exposure | 4      | h    |       |
| Administration/Form  | Vapors |      |       |

## Skin corrosion/irritation

|            |                                      |
|------------|--------------------------------------|
| evaluation | corrosive                            |
| Remarks    | The classification criteria are met. |

## Serious eye damage/irritation

|            |                                      |
|------------|--------------------------------------|
| evaluation | corrosive                            |
| Remarks    | The classification criteria are met. |

## Sensitization

Remarks Based on available data, the classification criteria are not met.

## Sensitization (Components)

### 2-aminoethanol

|            |                 |
|------------|-----------------|
| evaluation | non-sensitizing |
|------------|-----------------|

## Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

## Mutagenicity

Remarks Based on available data, the classification criteria are not met.

## Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

## Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

## Specific Target Organ Toxicity (STOT)

### Single exposure

|            |                                      |
|------------|--------------------------------------|
| evaluation | May cause respiratory irritation.    |
| Remarks    | The classification criteria are met. |

### Repeated exposure

Remarks Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### Endocrine disrupting properties with respect to humans

# neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 07.08.2024

Print date: 07.08.24

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

## Experience in practice

Inhalation may lead to irritation of the respiratory tract.

## Other information

There is no data available on the product apart from the information given in this subsection.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### General information

not determined

#### Fish toxicity (Components)

##### 2-aminoethanol

|                      |                                 |      |
|----------------------|---------------------------------|------|
| Species              | carp ( <i>Cyprinus carpio</i> ) |      |
| LC50                 | 349                             | mg/l |
| Duration of exposure | 96 h                            |      |

##### 2-aminoethanol

|                      |                                       |      |
|----------------------|---------------------------------------|------|
| Species              | goldfish ( <i>Carassius auratus</i> ) |      |
| LC50                 | 170                                   | mg/l |
| Duration of exposure | 96 h                                  |      |

##### potassium hydroxide ...%

|                      |               |      |
|----------------------|---------------|------|
| Species              | mosquito fish |      |
| LC50                 | 80            | mg/l |
| Duration of exposure | 24 h          |      |
| Source               | ECHA          |      |

##### fatty alcohol alkoxylate

|                      |                                       |      |
|----------------------|---------------------------------------|------|
| Species              | golden orfe ( <i>Leuciscus idus</i> ) |      |
| LC50                 | 0,1 to 1                              | mg/l |
| Duration of exposure | 96 h                                  |      |

##### fatty alcohols, alkoxylated

|                      |                                       |      |
|----------------------|---------------------------------------|------|
| Species              | golden orfe ( <i>Leuciscus idus</i> ) |      |
| LC50                 | > 1 to 10                             | mg/l |
| Duration of exposure | 96 h                                  |      |

#### Daphnia toxicity (Components)

##### 2-aminoethanol

|                      |               |      |
|----------------------|---------------|------|
| Species              | Daphnia magna |      |
| EC50                 | 65            | mg/l |
| Duration of exposure | 96 h          |      |

##### fatty alcohol alkoxylate

|                      |          |      |
|----------------------|----------|------|
| EC50                 | 0,1 to 1 | mg/l |
| Duration of exposure | 48 h     |      |

##### fatty alcohols, alkoxylated

|                      |               |      |
|----------------------|---------------|------|
| Species              | Daphnia magna |      |
| EC50                 | > 0,1 to 1    | mg/l |
| Duration of exposure | 48 h          |      |
| Method               | OECD 202      |      |

#### Algae toxicity (Components)

##### 2-aminoethanol

|         |                         |      |
|---------|-------------------------|------|
| Species | Scenedesmus subspicatus |      |
| EC50    | 22                      | mg/l |

# neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 07.08.2024

Print date: 07.08.24

Duration of exposure 72 h

## 2-aminoethanol

Species Selenastrum capricornutum  
EC50 2,5 mg/l  
Duration of exposure 72 h  
Method OECD 201

## fatty alcohol alkoxyate

Species Scenedesmus subspicatus  
EC50 0,1 to 1 mg/l  
Duration of exposure 72 h  
Method OECD 201

## fatty alcohols, alkoxyated

Species Scenedesmus subspicatus  
EC50 > 0,1 to 1 mg/l  
Duration of exposure 72 h  
Method OECD 201

## Bacteria toxicity (Components)

### 2-aminoethanol

Species activated sludge  
EC20 > 1000 mg/l  
Duration of exposure 0,5 h  
Method OECD 209

## 12.2. Persistence and degradability

### General information

not determined

## 12.3. Bioaccumulative potential

### General information

not determined

### Partition coefficient n-octanol/water (log value)

Remarks not determined

## 12.4. Mobility in soil

### General information

not determined

## 12.5. Results of PBT and vPvB assessment

### General information

not determined

### Results of PBT and vPvB assessment

The product contains no PBT substances  
The product contains no vPvB substances.

## 12.6 Endocrine disrupting properties

### Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## 12.7. Other adverse effects

### General information

not determined

# neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 07.08.2024

Print date: 07.08.24

## General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations for the product

EWC waste code 18 01 06\* chemicals consisting of or containing dangerous substances  
EWC waste code 20 01 29\* detergents containing dangerous substances  
The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

#### Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging  
Completely emptied packagings can be given for recycling.  
EWC waste code 15 01 10\* packaging containing residues of or contaminated by dangerous substances  
Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

## SECTION 14: Transport information

|                                  | Land transport ADR/RID                                                              | Marine transport IMDG/GGVSee                                                         | Air transport ICAO/IATA                                                               |
|----------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Tunnel restriction code          | E                                                                                   |                                                                                      |                                                                                       |
| 14.1. UN number or ID number     | 1719                                                                                | 1719                                                                                 | 1719                                                                                  |
| 14.2. UN proper shipping name    | CAUSTIC ALKALI LIQUID, N.O.S.<br>(potassium hydroxide,<br>2-aminoethanol)           | CAUSTIC ALKALI LIQUID, N.O.S.<br>(potassium hydroxide,<br>2-aminoethanol)            | CAUSTIC ALKALI LIQUID,<br>N.O.S. (potassium hydroxide,<br>2-aminoethanol)             |
| 14.3. Transport hazard class(es) | 8                                                                                   | 8                                                                                    | 8                                                                                     |
| Label                            |  |  |  |
| 14.4. Packing group              | III                                                                                 | III                                                                                  | III                                                                                   |
| Limited Quantity                 | 5 l                                                                                 | 5 l                                                                                  |                                                                                       |
| Transport category               | 3                                                                                   |                                                                                      |                                                                                       |
| 14.5. Environmental hazards      |                                                                                     | no                                                                                   |                                                                                       |

## Information for all modes of transport

### 14.6. Special precautions for user

See Sections 6 to 8

# neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 07.08.2024

Print date: 07.08.24

## Other information

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Ingredients (Regulation (EC) No 648/2004)

less than 5 %:

soap, non-ionic surfactants

#### Other regulations, restrictions and prohibition regulations

Observe employment restrictions for young people.

#### Other information

The product does not contain substances of very high concern (SVHC).

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

|               |      |                    |
|---------------|------|--------------------|
| Met. Corr. 1  | H290 | Expert judgement   |
| Skin Corr. 1B | H314 | Calculation method |
| Eye Dam. 1    | H318 | Calculation method |
| STOT SE 3     | H335 | Calculation method |

#### Hazard statements listed in Chapter 2/3

|      |                                                    |
|------|----------------------------------------------------|
| H290 | May be corrosive to metals.                        |
| H302 | Harmful if swallowed.                              |
| H312 | Harmful in contact with skin.                      |
| H314 | Causes severe skin burns and eye damage.           |
| H315 | Causes skin irritation.                            |
| H318 | Causes serious eye damage.                         |
| H319 | Causes serious eye irritation.                     |
| H332 | Harmful if inhaled.                                |
| H335 | May cause respiratory irritation.                  |
| H400 | Very toxic to aquatic life.                        |
| H412 | Harmful to aquatic life with long lasting effects. |

#### CLP categories listed in Chapter 2/3

|                   |                                                              |
|-------------------|--------------------------------------------------------------|
| Acute Tox. 4      | Acute toxicity, Category 4                                   |
| Aquatic Acute 1   | Hazardous to the aquatic environment, acute, Category 1      |
| Aquatic Chronic 3 | Hazardous to the aquatic environment, chronic, Category 3    |
| Eye Dam. 1        | Serious eye damage, Category 1                               |
| Eye Irrit. 2      | Eye irritation, Category 2                                   |
| Met. Corr. 1      | Substance or mixture corrosive to metals, Category 1         |
| Skin Corr. 1A     | Skin corrosion, Category 1A                                  |
| Skin Corr. 1B     | Skin corrosion, Category 1B                                  |
| Skin Irrit. 2     | Skin irritation, Category 2                                  |
| STOT SE 3         | Specific target organ toxicity - single exposure, Category 3 |

#### Abbreviations

## neomoscan CP alka 162

Version: 1 / GB

Replaces Version: - / GB

Date revised: 07.08.2024

Print date: 07.08.24

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses  
IMDG: International Maritime Code for Dangerous Goods  
ICAO: International Civil Aviation Organization  
IATA: International Air Transport Association  
VOC: Volatile Organic Compound  
LD: Lethal dose  
LC: Lethal concentration  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: Very persistent and very bioaccumulative  
SVHC: Substances of very high concern  
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)  
IBC: Intermediate Bulk Container  
CAS: Chemical Abstracts Service  
ISO: International Organization for Standardization  
OEL: Occupational exposure limit  
OECD: Organisation for Economic Co-operation and Development  
UN: United Nations  
IMO: International Maritime Organization

### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.