

neomoscan S 11

Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 20.12.2016

Print date: 02.06.17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neomoscan S 11

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG
Mühlenhagen 85
D-20539 Hamburg
Telephone no. +49 40 789 60 0
Fax no. +49 40 789 60 120
www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

GBK/ Infotrac: (USA domestic) 1 800 535 5053 or international +1 352 323 3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Corr. 1A	H314
Eye Dam. 1	H318
Met. Corr. 1	H290

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

neomoscan S 11

Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 20.12.2016

Print date: 02.06.17

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER or doctor.
 Dispose only when container is empty and closed. For disposal of product residues, refer to Safety Data Sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains sodium hydroxide; n-alkylglucoside; alkyldimethylamine oxide

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

sodium lauryl ether sulfate

CAS No. 68891-38-3
 EINECS no. 500-234-8
 Registration no. 01-2119488639-16
 Concentration ≥ 1 < 10 %
 Classification (Regulation (EC) No. 1272/2008)
 Eye Dam. 1 H318
 Skin Irrit. 2 H315
 Aquatic Chronic 3 H412

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318 ≥ 10 %
 Eye Irrit. 2 H319 $\geq 5 < 10$ %

n-alkylglucoside

CAS No. 110615-47-9
 Registration no. 01-2119489418-23
 Concentration ≥ 1 < 10 %
 Classification (Regulation (EC) No. 1272/2008)
 Eye Dam. 1 H318
 Skin Irrit. 2 H315

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318 > 12 %
 Skin Irrit. 2 H315 > 30 %

alkyldimethylamine oxide

CAS No. 308062-28-4
 Registration no. 01-2119490061-47
 Concentration ≥ 1 < 10 %
 Classification (Regulation (EC) No. 1272/2008)
 Acute Tox. 4 H302
 Skin Irrit. 2 H315
 Eye Dam. 1 H318
 Aquatic Acute 1 H400
 Aquatic Chronic 2 H411

sodium hydroxide

CAS No. 1310-73-2
 EINECS no. 215-185-5
 Registration no. 01-2119457892-27
 Concentration ≥ 10 < 25 %

neomoscan S 11

Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 20.12.2016

Print date: 02.06.17

Classification (Regulation (EC) No. 1272/2008)

Skin Corr. 1A	H314
Eye Dam. 1	H318
Met. Corr. 1	H290

Concentration limits (Regulation (EC) No. 1272/2008)

Skin Corr. 1A	H314	≥ 5
Skin Irrit. 2	H315	$\geq 0,5 < 2$
Eye Irrit. 2	H319	$\geq 0,5 < 2$
Skin Corr. 1B	H314	$\geq 2 < 5$

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath, shower). In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When spray fog inhaled, seek medical aid.

After skin contact

After contact with skin, wash immediately with plenty of water. Take medical treatment.

After eye contact

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings.

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

neomoscan S 11

Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 20.12.2016

Print date: 02.06.17

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.

Advice on protection against fire and explosion

The product is not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > -20 < 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class according to TRGS 510

Storage class according to TRGS 510 8B Non-combustible corrosive hazardous substances

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection ***

8.1. Control parameters

Exposure limit values ***

sodium hydroxide

List	EH40	
Type	WEL	
Short term exposure limit	2	mg/m ³
Status:	2011	

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

neomoscan S 11

Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 20.12.2016

Print date: 02.06.17

Hold eye wash fountain available. Hold emergency shower available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Particle filter P2

Hand protection

Chemical resistant gloves (EN 374)

Use	Permanent hand contact
Appropriate Material	neoprene
Material thickness	\geq 0,65 mm
Breakthrough time	$>$ 480 min
Appropriate Material	nitrile
Material thickness	\geq 0,4 mm
Breakthrough time	$>$ 480 min
Appropriate Material	butyl
Material thickness	\geq 0,7 mm
Breakthrough time	$>$ 480 min
Use	Short-term hand contact
Appropriate Material	nitrile
Material thickness	\geq 0,11 mm

Eye protection

Safety glasses with side protection shield (EN 166)

Body protection

Clothing as usual in the chemical industry. Protective shoes

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	liquid
Colour	brownish, clear
Odour	characteristic
Odour threshold	
Remarks	not determined
pH value	
Value	appr. 14
Temperature	20 °C
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Initial boiling point and boiling range	
Remarks	not determined
Flash point	
Remarks	Not applicable
Evaporation rate (ether = 1) :	
Remarks	not determined
Flammability (solid, gas)	
evaluation	not determined
Upper/lower flammability or explosive limits	

neomoscan S 11

Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 20.12.2016

Print date: 02.06.17

Remarks not determined

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

Density

Value 1,29 g/cm³
Temperature 20 °C

Solubility in water

Remarks miscible in all proportions

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

Viscosity

Remarks not determined

Explosive properties

evaluation not determined

Oxidising properties

evaluation None known

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

Decomposition temperature

Remarks not determined

10.5. Incompatible materials

Strong exothermic reaction with acids. Corrodes aluminium.

10.6. Hazardous decomposition products

Irritant gases/vapours

SECTION 11: Toxicological information

neomoscan S 11

Version: 2 / GB

Replaces Version: 1 /
GB

Date revised: 20.12.2016

Print date: 02.06.17

11.1. Information on toxicological effects

Acute oral toxicity

Species	rat
LD50	> 2000 mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)

Acute oral toxicity (Components)

alkyldimethylamine oxide

Species	rat
LD50	300 to 2000 mg/kg
Method	OECD 401

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation strongly corrosive

Serious eye damage/irritation

evaluation strongly corrosive

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Remarks not determined

Aspiration hazard

No special hazards have to be mentioned.

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

sodium hydroxide

Species	rainbow trout (<i>Oncorhynchus mykiss</i>)
LC50	45,4 mg/l
Duration of exposure	96 h

neomoscan S 11

Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 20.12.2016

Print date: 02.06.17

alkyldimethylamine oxide

Species	Fathead minnow (<i>Pimephales promelas</i>)			
LC50	1	to	10	mg/l
Duration of exposure	96	h		

Daphnia toxicity (Components)

sodium hydroxide

Species	Daphnia magna			
EC50	> 100			mg/l
Duration of exposure	48	h		

alkyldimethylamine oxide

Species	Daphnia magna			
EC50	1	to	10	mg/l
Duration of exposure	48	h		
Method	OECD 202			

Algae toxicity (Components)

alkyldimethylamine oxide

Species	Selenastrum capricornutum			
EC50	0,1	to	1	mg/l
Duration of exposure	72	h		
Method	OECD 201			

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Evaluation of persistence and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

General information

not determined

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

neomoscan S 11

Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 20.12.2016

Print date: 02.06.17




Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	1824	1824	1824
14.2. UN proper shipping name	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es)	8	8	8
Label			
14.4. Packing group	II	II	II
Limited Quantity	1 I		
Transport category	2		
14.5. Environmental hazards		no	
Tunnel restriction code	E		
IMDG-Code segregation group		18 Alkalis	

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

5 % or over but less than 15 %: ***

non-ionic surfactants

less than 5 %: ***

anionic surfactants

neomoscan S 11

Version: 2 / GB

Replaces Version: 1 /
GB

Date revised: 20.12.2016

Print date: 02.06.17

Water Hazard Class (Germany)

Water Hazard Class (Germany) WGK 1

Remarks Classification according to Annex 4 VwVwS

VOC ***

VOC (EU) 0 %

Other information ***

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion, Category 1A
Skin Irrit. 2	Skin irritation, Category 2

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.