

neomoscan m.Z.

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.06.2023

Print date: 19.06.23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neomoscan m.Z.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

PC35

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG

Mühlenhagen 85

D-20539 Hamburg

Telephone no.

+49 40 789 60 0

Fax no.

+49 40 789 60 120

www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

Emergency telephone number: 112

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Corr. 1B H314

Eye Dam. 1 H318

STOT SE 3 H335

Aquatic Chronic 2 H411

*

*

*

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

neomoscan m.Z.

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.06.2023

Print date: 19.06.23

Hazard statements

H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements ***

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor.
Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains *** sodium dodecyl sulfate; disodium metasilicate; troclosene sodium

Supplemental information

Further supplemental information ***

Contact with acids liberates toxic gas.

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients ***

3.2. Mixtures

Hazardous ingredients ***

disodium metasilicate pentahydrate

CAS No.	10213-79-3		
EINECS no.	229-912-9		
Registration no.	01-2119449811-37		
Concentration	>= 50		%
Classification (Regulation (EC) No. 1272/2008)			
	Skin Corr. 1B	H314	
	STOT SE 3	H335	
	Eye Dam. 1	H318	
	Met. Corr. 1	H290	

ATE	oral	1.150	mg/kg
-----	------	-------	-------

sodium carbonate

CAS No.	497-19-8		
EINECS no.	207-838-8		
Registration no.	01-2119485498-19		
Concentration	>= 10	< 25	%
Classification (Regulation (EC) No. 1272/2008)			
	Eye Irrit. 2	H319	

neomoscan m.Z.

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.06.2023

Print date: 19.06.23

troclosene sodium

CAS No. 2893-78-9
EINECS no. 220-767-7
Registration no. 01-2119489371-33
Concentration $\geq 2,5$ < 10 %
Classification (Regulation (EC) No. 1272/2008)
Ox. Sol. 2 H272
Acute Tox. 4 H302
Eye Irrit. 2 H319
STOT SE 3 H335
Aquatic Acute 1 H400
Aquatic Chronic 1 H410

Concentration limits (Regulation (EC) No. 1272/2008)

STOT SE 3 H335 ≥ 10 %
EUH031 ≥ 10 %

ATE oral 1.400 mg/kg

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note G

sodium dodecyl sulfate

CAS No. 151-21-3
EINECS no. 205-788-1
Registration no. 01-2119489461-32
Concentration ≥ 1 < 10 %
Classification (Regulation (EC) No. 1272/2008)
Acute Tox. 4 H302
Eye Dam. 1 H318
Skin Irrit. 2 H315
Aquatic Chronic 3 H412

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 $\geq 10 < 20$ %
Eye Dam. 1 H318 ≥ 20 %

cATpE oral 500 mg/kg

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When dust is intensively inhaled, seek medical help immediately.

After skin contact

Wash off immediately with soap and water. Take medical treatment.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

neomoscan m.Z.

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.06.2023

Print date: 19.06.23

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Non suitable extinguishing media

Compatible with all usual extinguishing media.

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Knock down dust with water spray jet.

6.3. Methods and material for containment and cleaning up

Pick up mechanically. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid the formation and deposition of dust. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 0 < 25 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed.

neomoscan m.Z.

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.06.2023

Print date: 19.06.23

Storage classes

Storage class according to
TRGS 510

8B

Non-combustible corrosive hazardous substances

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Do not inhale dust/fumes/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Use breathing apparatus in dust-laden atmosphere. Particle filter P2

Hand protection

Chemical resistant gloves

Use

Appropriate Material

Material thickness

Breakthrough time

Appropriate Material

Material thickness

Breakthrough time

Appropriate Material

Material thickness

Breakthrough time

Use

Appropriate Material

Material thickness

Hand protection must comply with EN ISO 374.

Permanent hand contact

neoprene

\geq 0,65 mm

> 480 min

nitrile

\geq 0,4 mm

> 480 min

butyl

\geq 0,7 mm

> 480 min

Short-term hand contact

nitrile

\geq 0,11 mm

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

solid

Colour

white

Odour

characteristic

Melting point

Remarks

not determined

Freezing point

Remarks

not determined

Boiling point or initial boiling point and boiling range

Remarks

not determined

Flammability

evaluation

Not applicable

neomoscan m.Z.

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.06.2023

Print date: 19.06.23

Upper and lower explosive limits

Remarks Not applicable

Flash point

Remarks Not applicable

Ignition temperature

Remarks Not applicable

Decomposition temperature

Remarks
Remarks not determined

pH value

Value > 13
Concentration/H₂O 10 %

Viscosity

Remarks Not applicable

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Remarks not determined

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks soluble

Explosive properties

evaluation no

Oxidising properties

evaluation None known

Bulk density

Value appr. 1000 kg/m³

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

neomoscan m.Z.

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.06.2023

Print date: 19.06.23

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

Strong exothermic reaction with acids.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE	appr. 1600	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)	
Remarks	The classification criteria are met.	

Acute oral toxicity (Components)

disodium metasilicate pentahydrate

Species	rat				
LD50		1150	to	1350	mg/kg

sodium carbonate

Species	rat				
LD50		2800			mg/kg

troclosene sodium

Species	rat				
LD50		1400			mg/kg

Acute dermal toxicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Acute dermal toxicity (Components)

sodium carbonate

Species	rabbit				
LD50	>	2000			mg/kg

troclosene sodium

Species	rat				
LD50	>	5000			mg/kg
Source	IUCLID				

Acute inhalational toxicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Acute inhalative toxicity (Components)

sodium carbonate

Species	mouse				
LC50		1,2			mg/l
Duration of exposure		2		h	

sodium carbonate

Species	rat				
LC50		2,3			mg/l
Duration of exposure		2		h	

Skin corrosion/irritation

neomoscan m.Z.

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.06.2023

Print date: 19.06.23

evaluation

Remarks

corrosive

The classification criteria are met.

Serious eye damage/irritation

evaluation

Remarks

corrosive

The classification criteria are met.

Sensitization

Remarks

Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks

Based on available data, the classification criteria are not met.

Mutagenicity

Remarks

Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks

Based on available data, the classification criteria are not met.

Reproduction toxicity (Components)

sodium carbonate

Remarks

No indications of toxic effects were observed in reproduction studies in animals.

Carcinogenicity

Remarks

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

evaluation

Remarks

May cause respiratory irritation.

The classification criteria are met.

Repeated exposure

Remarks

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Experience in practice

Inhalation of dusts may irritate the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

disodium metasilicate pentahydrate

Species

zebra fish (*Brachydanio rerio*)

LC50

210

mg/l

Duration of exposure

96

h

sodium carbonate

neomoscan m.Z.

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.06.2023

Print date: 19.06.23

Species	Bluegill (<i>Lepomis macrochirus</i>)	
LC50	300	mg/l
Duration of exposure	96 h	

troclosene sodium

Species	Bluegill (<i>Lepomis macrochirus</i>)	
LC50	0,28	mg/l
Duration of exposure	96 h	
Source	IUCLID	

Daphnia toxicity (Components)

disodium metasilicate pentahydrate

Species	Daphnia magna	
EC50	1700	mg/l
Duration of exposure	48 h	

sodium carbonate

Species	Ceriodaphnia spec	
EC50	200 to 227	mg/l
Duration of exposure	48 h	

troclosene sodium

Species	Daphnia magna	
LC50	0,18 to 0,21	mg/l
Duration of exposure	48 h	
Source	IUCLID	

Algae toxicity (Components)

troclosene sodium

Species	Chlorella pyrenoidosa	
EC50	< 0,5	mg/l
Duration of exposure	3 h	

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances
The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to

neomoscan m.Z.

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.06.2023

Print date: 19.06.23

non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code	18 01 06*	chemicals consisting of or containing dangerous substances
EWC waste code	20 01 29*	detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Disposal recommendations for packaging

EWC waste code	15 01 02	plastic packaging
----------------	----------	-------------------

Completely emptied packagings can be given for recycling.

EWC waste code	15 01 10*	packaging containing residues of or contaminated by dangerous substances
----------------	-----------	--

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information







neomoscan m.Z.

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.06.2023

Print date: 19.06.23

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		18 Alkalis	
14.1. UN number or ID number	1759	1759	1759
14.2. UN proper shipping name	CORROSIVE SOLID, N.O.S. (disodium metasilicate, troclosene sodium)	CORROSIVE SOLID, N.O.S. (disodium metasilicate, troclosene sodium)	CORROSIVE SOLID, N.O.S. (disodium metasilicate, troclosene sodium)
14.3. Transport hazard class(es)	8	8	8
Label			
14.4. Packing group	III	III	III
Limited Quantity	5 kg	5 kg	
Transport category	3		
14.5. Environmental hazards	 ENVIRONMENTALLY HAZARDOUS	Marine Pollutant  ENVIRONMENTALLY HAZARDOUS	 ENVIRONMENTALLY HAZARDOUS

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Major-accident categories acc. 2012/18/EU ***

Category	E2	Hazardous to the Aquatic Environment	200	tonne s	500	tonne s
----------	----	--------------------------------------	-----	---------	-----	---------

Ingredients (Regulation (EC) No 648/2004)

5 % or over but less than 15 %:

neomoscan m.Z.

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.06.2023

Print date: 19.06.23

phosphates

less than 5 %:

chlorine-based bleaching agents, anionic surfactants, non-ionic surfactants

VOC

VOC (EU) 0 %

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method
Aquatic Chronic 2	H411	Calculation method

Hazard statements listed in Chapter 2/3

H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Ox. Sol. 2	Oxidising solid, Category 2
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Skin irritation, Category 2
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
IMDG: International Maritime Code for Dangerous Goods
ICAO: International Civil Aviation Organization
IATA: International Air Transport Association
CAS: Chemical Abstracts Service

neomoscan m.Z.

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.06.2023

Print date: 19.06.23

VOC: Volatile Organic Compound

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)

IBC: Intermediate Bulk Container

OEL: Occupational exposure limit

TSCA: Toxic Substances Control Act (USA)

IMO: International Maritime Organization

GHS: Globally Harmonized System of classification and Labelling of Chemicals

REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals

UN: United Nations

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.