

weigoman pure

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.03.2025

Print date: 26.03.25

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

weigoman pure

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

PC8

Biocidal products (e.g. Disinfectants, pest control)

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Chemische Fabrik Dr. Weigert GmbH & Co. KG

Mühlenhagen 85

D-20539 Hamburg

Telephone no.

+49 40 789 60 0

Fax no.

+49 40 789 60 120

www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

Emergency telephone number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225

Eye Dam. 1 H318

STOT SE 3 H336

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H225

Highly flammable liquid and vapour.

H318

Causes serious eye damage.

H336

May cause drowsiness or dizziness.

EUH066

Repeated exposure may cause skin dryness or cracking.

weigoman pure

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.03.2025

Print date: 26.03.25

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P261.9	Avoid breathing vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501.2	Dispose of contents at an approved waste collection point.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains propan-1-ol; propan-2-ol

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

propan-2-ol

CAS No.	67-63-0			
EINECS no.	200-661-7			
Registration no.	01-2119457558-25			
Concentration	>= 50			%
Classification (Regulation (EC) No. 1272/2008)				
	Flam. Liq. 2		H225	
	Eye Irrit. 2		H319	
	STOT SE 3		H336	

propan-1-ol

CAS No.	71-23-8			
EINECS no.	200-746-9			
Registration no.	01-2119486761-29			
Concentration	>= 10	< 25		%
Classification (Regulation (EC) No. 1272/2008)				
	Flam. Liq. 2		H225	
	Eye Dam. 1		H318	
	STOT SE 3		H336	

Further ingredients

glycerol

CAS No.	56-81-5			
EINECS no.	200-289-5			
Concentration	>= 1	< 10		%
Advice: [3]				

weigoman pure

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.03.2025

Print date: 26.03.25

Note

[3] Substance with occupational exposure limits

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. In case of persistent symptoms consult doctor.

After inhalation

Ensure supply of fresh air. Seek medical advice immediately.

After skin contact

Wash off immediately with soap and water. Seek medical advice immediately.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical advice immediately.

After ingestion

Call in a physician immediately and show him the Safety Data Sheet.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder, Foam, Carbon dioxide, Water spray jet

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use personal protective clothing.

6.2. Environmental precautions

weigoman pure

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.03.2025

Print date: 26.03.25

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid formation of aerosols. Keep container tightly closed.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 0 < 30 °C

Requirements for storage rooms and vessels

Store product in closed containers.

Hints on storage assembly

Do not store with strong oxidizing agents.

Storage classes

Storage class according to 3 Flammable liquid
TRGS 510

Further information on storage conditions

Keep container tightly closed. Keep container in a cool, well-ventilated place. Protect from heat and direct sunlight.

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

propan-1-ol

List	EH40			
Type	WEL			
Value	500	mg/m ³	200	ppm(V)
Short term exposure limit	625	mg/m ³	250	ppm(V)
Skin resorption / sensibilisation: Sk; Remarks: Sk				

propan-2-ol

List	EH40			
Type	WEL			
Value	999	mg/m ³	400	ppm(V)
Short term exposure limit	1250	mg/m ³	500	ppm(V)

Glycerol

List	EH40			
------	------	--	--	--

weigoman pure

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.03.2025

Print date: 26.03.25

Type	WEL	
Value	10	mg/m ³

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Do not smoke during work time. Do not inhale gases/vapours/aerosols. Do not eat or drink during work time. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.
Short term: filter apparatus, Filter A

Hand protection

Chemical resistant gloves			
Use	Permanent hand contact		
Appropriate Material	butyl		
Material thickness	>=	0,7	mm
Breakthrough time	>	480	min
Appropriate Material	nitrile		
Material thickness	>	0,4	mm
Breakthrough time	>	120	min
Use	Short-term hand contact		
Appropriate Material	nitrile		
Material thickness	>	0,28	mm
Hand protection must comply with EN 374.			

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid, clear	
Colour	colourless	
Odour	characteristic	
Melting point		
Remarks	not determined	
Freezing point		
Remarks	not determined	
Boiling point or initial boiling point and boiling range		
Value	83	°C
Flammability		
evaluation	not determined	
Upper and lower explosive limits		
Lower explosion limit	2,0	%(V)
Upper explosion limit	13,5	%(V)
Flash point		
Value	21	°C
Method	DIN 51755	

weigoman pure

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.03.2025

Print date: 26.03.25

Auto-ignition temperature

Remarks not determined

Decomposition temperature

Remarks

Remarks not determined

pH value

Value appr. 6

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Value 43 hPa

Temperature 20 °C

Density and/or relative density

Value 0,85 g/cm³

Temperature 20 °C

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks miscible in all proportions

Explosive properties

evaluation no

Oxidising properties

evaluation None known

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known. Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.

weigoman pure

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.03.2025

Print date: 26.03.25

10.5. Incompatible materials

Reactions with strong oxidising agents.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

ATE	>	2000	mg/kg
Remarks	Based on available data, the classification criteria are not met.		

Acute oral toxicity (Components)

propan-1-ol

Species	rat		
LD50	appr.	5400	mg/kg

propan-2-ol

Species	rat		
LD50		5840	mg/kg
Method	OECD 401		

Acute dermal toxicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Acute dermal toxicity (Components)

propan-1-ol

Species	rabbit		
LD50		4032	mg/kg
Duration of exposure	24	h	
Method	OECD 402		

propan-2-ol

Species	rabbit		
LD50		13900	mg/kg
Method	OECD 402		

Acute inhalational toxicity

Remarks	Based on available data, the classification criteria are not met.
---------	---

Acute inhalative toxicity (Components)

propan-1-ol

Species	rat		
LC50	>	33,8	mg/l
Duration of exposure	4	h	
Administration/Form	Vapors		
Method	OECD 403		

propan-2-ol

Species	rat		
LC50	>	25	mg/l
Duration of exposure	6	h	
Administration/Form	Vapors		
Method	OECD 403		

Skin corrosion/irritation

Remarks	Based on available data, the classification criteria are not met.
---------	---

Serious eye damage/irritation

evaluation	corrosive
------------	-----------

weigoman pure

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.03.2025

Print date: 26.03.25

Remarks The classification criteria are met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

evaluation May cause drowsiness or dizziness.

Remarks The classification criteria are met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

propan-1-ol

Species	Fathead minnow (<i>Pimephales promelas</i>)		
LC50	4555		mg/l
Duration of exposure	96	h	
Method	OECD 203		

propan-2-ol

Species	Fathead minnow (<i>Pimephales promelas</i>)		
LC50	9640		mg/l
Duration of exposure	96	h	

Daphnia toxicity (Components)

propan-1-ol

Species	Daphnia magna		
EC50	3644		mg/l
Duration of exposure	48	h	
Method	DIN 38412 / Part 11		

propan-2-ol

weigoman pure

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.03.2025

Print date: 26.03.25

Species	Daphnia magna	
LC50	appr. 10000	mg/l
Duration of exposure	48 h	

Algae toxicity (Components)

propan-1-ol

Species	Selenastrum capricornutum	
EC50	9170	mg/l
Duration of exposure	48 h	

propan-2-ol

Species	Scenedesmus subspicatus	
IC50	> 1000	mg/l
Duration of exposure	72 h	

Bacteria toxicity (Components)

propan-1-ol

Species	activated sludge	
IC50	> 1000	mg/l
Duration of exposure	3 h	
Method	OECD 209	

propan-2-ol

Species	activated sludge	
EC50	> 100	mg/l

12.2. Persistence and degradability

General information

There is no data available on the product apart from the information given in this subsection.

Biodegradability

Remarks The single components are biodegradable.

12.3. Bioaccumulative potential

General information

There is no data available on the product apart from the information given in this subsection.

Partition coefficient n-octanol/water (log value)

Remarks not determined

12.4. Mobility in soil

General information

For this subsection there is no ecotoxicological data available on the product as such.

12.5. Results of PBT and vPvB assessment

General information

Not applicable

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

weigoman pure

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.03.2025

Print date: 26.03.25

General information

not determined

General information / ecology

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code 18 01 06* chemicals consisting of or containing dangerous substances

EWC waste code 20 01 29* detergents containing dangerous substances

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Disposal recommendations for packaging

EWC waste code 15 01 02 plastic packaging

Completely emptied packagings can be given for recycling.

EWC waste code 15 01 10* packaging containing residues of or contaminated by dangerous substances

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

weigoman pure

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.03.2025

Print date: 26.03.25

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	D/E		
IMDG-Code segregation group		0 Not applicable	
14.1. UN number or ID number	1987	1987	1987
14.2. UN proper shipping name	ALCOHOLS, N.O.S. (propan-2-ol, propan-1-ol)	ALCOHOLS, N.O.S. (propan-2-ol, propan-1-ol)	ALCOHOLS, N.O.S. (propan-2-ol, propan-1-ol)
14.3. Transport hazard class(es)	3	3	3
Label			
14.4. Packing group	II	II	II
Special provision	640D		
Limited Quantity	1 I	1 I	
Transport category	2		
14.5. Environmental hazards		no	

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Major-accident categories acc. 2012/18/EU

Category	P5c	FLAMMABLE LIQUID	5000	tonne	50000	tonne
				s		s

VOC

VOC (EU)	77,44	%	658,2	g/l
----------	-------	---	-------	-----

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

weigoman pure

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 05.03.2025

Print date: 26.03.25

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2	H225	On basis of test data
Eye Dam. 1	H318	Calculation method
STOT SE 3	H336	Calculation method

Hazard statements listed in Chapter 2/3

H225	Highly flammable liquid and vapour.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

CLP categories listed in Chapter 2/3

Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Flam. Liq. 2	Flammable liquid, Category 2
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
IMDG: International Maritime Code for Dangerous Goods
ICAO: International Civil Aviation Organization
IATA: International Air Transport Association
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)
IBC: Intermediate Bulk Container
CAS: Chemical Abstracts Service
VOC: Volatile Organic Compound
LD: Lethal dose
LC: Lethal concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: Very persistent and very bioaccumulative
SVHC: Substances of very high concern
EU: European Union

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.